

CALIFORNIA ENERGY COMMISSION

Charles R. Imbrecht, *Chairman*Barbara Crowley, *Vice Chair*Warren D. Noteware
Robert Mussetter
Richard A. Bilas

ENERGY TECHNOLOGY DEVELOPMENT DIVISION

Nancy Deller, Chief

RESEARCH & DEVELOPMENT OFFICE

Michael DeAngelis, Manager

PRINCIPAL AUTHORS

Samuel D. Rashkin Tran Hong Phuc Nguyen

ACKNOWLEDGEMENTS

Special acknowledgements are due to all those who helped to establish the Wind Performance Reporting Systems (WPRS). The program was developed by the California Energy Commission in conjunction with the state's wind industry and the American Wind Energy Association (AWEA) under the direction of *Nancy Deller*, Chief, Energy Technologies Development Division; and *Michael DeAngelis*, Manager, Research and Development Office.

The cover layout and design was provided by Tino Flores.

TABLE OF CONTENTS

1.	Introduction	1
2.	WPRS Background	3 .
3.	WPRS Implementation Issues	5
4.	California Wind Resource Areas	6
5.	Staff Summary A. Industry Performance B. Industry Production and Capacity Trends Statewide Resource Areas Turbine Size Turbine Types Domestic and Foreign Turbines Ten Largest Wind Turbine Manufacturers Five Largest Wind Project Operators C. Time-Of-Use Production	7 7 10 10 12 14 15 17 19 21 23
6.	WPRS Annual Summary Tables	24
7.	WPRS Data Alphabetical List of Operators and Other Participants Wind Data Section Notes Altamont Pass Boulevard Carquinez Strait Pacheco Pass Salinas Valley San Gorgonio Pass Tehachapi Pass	31 32 33 35 51 52 53 54 55 68
App	bendix A. Non-Operating Wind Projects bendix B. Wind Turbine Manufacturers bendix C. WPRS Regulations	91 94 99

1. INTRODUCTION

Although the wind industry is very young, it has already made a substantial impact on the California energy market. Today, California has more than 1200 megawatts of wind generating capacity, and in 1988 produced enough output to meet the annual electricity needs of 300,000 typical California homes. As a result, California has become the leader in wind development with the predominant share of the world's total generating capacity.

As the industry began exponential growth in 1981, the California Energy Commission and the American Wind Energy Association (AWEA) recognized the need for performance and other technology related information. Subsequent efforts by these two organizations led to the adoption of the Wind Performance Reporting System (WPRS) regulations in 1984. These regulations require all wind operators with projects rated greater than 100 kW and who sell electricity to a power purchaser, to report quarterly performance and related project information to the Energy Commission. The Commission has used this information to complete quarterly and annual reports for four years.

This annual report provides a detailed compilation of all 1988 reported data. From this data, Energy Commission staff summarizes wind industry performance information, and production and capacity trends. Additionally, tables have been included that organize the data according to statewide totals, resource areas, turbine sizes, turbine types, turbine manufacturers, project operators, and origin of turbine manufacturers.

Although many valuable observations about California's wind industry can be drawn from WPRS reported data, it is important to recognize some important limitations. First, the WPRS program has collected wind data for four years. A complete industry evaluation should consider all of this data rather than any single year. This is especially true for an industry such as wind which is so dependent on weather conditions that vary from year to year. Moreover, much of the data reported is not directly comparable because the industry still has not implemented a standardized turbine rating system. As a result, turbines are tested under different conditions and rated at widely varying miles per hour specifications. Evidence of the problem is indicated by the lack of correlation between blade swept area and turbine kW specifications. For example, one manufacturer's 400 kW turbine has only a slightly larger blade swept area than another manufacturer's 95 kW turbine. In other cases, the current product being offered by an operator or manufacturer may not be properly

represented in the report because old and new turbine data are grouped together. Often, newer equipment will be more efficient and reliable. Further, performance data does not consider other important variables such as cost per kW, expected operation and maintenance costs, durability of the system and quality of the site's wind resource. Thus, important wind industry findings presented in this annual report should be checked against many other hidden factors involved in wind development.

2. WPRS BACKGROUND

What is the Wind Performance Monitoring System (WPRS)?

California law requires the California Energy Commission to serve as a central repository in state government for the collection and dissemination of information on energy supplies. Relative to wind energy, the Commission adopted WPRS regulations on November 28, 1984. Starting in January 1985, these regulations required all California wind operators with projects rated over 100 kW to provide quarterly wind performance reports if they sold electricity to a power purchaser. These reports include actual energy production and related project information. In addition, all California power purchasers are required to file quarterly reports documenting the power purchased from these wind operators. The Commission uses this information to produce quarterly and annual reports on wind industry performance in California.

Why Were WPRS Regulations Developed?

WPRS regulations were instituted for several reasons. First, the industry, investors, financial community, and government agencies needed actual performance information to better evaluate the status of wind technology. Second, information that would help minimize tax abuse would benefit everybody involved in wind development: the industry would have less

"bad press" and better public opinion; investors would be better able to make informed investments; and government and public monies would be allocated to better performing projects. The WPRS regulations were also intended to provide performance information that is useful for government tracking of energy supplies and thereby allow for better planning of the state's energy needs.

Before federal tax credits expired in 1985, project financing was primarily venture capital from private investors who were willing to take a substantial risk on the technology due to the tax benefits they would receive. Since then, the focus of wind development has been on revenues from power sales and greater reliance on conventional financing from institutional lenders and foreign investors. WPRS information is also needed now to establish performance credibility with these new sources of financing.

What Information Do WPRS Reports Provide? WPRS quarterly reports include the following information for all wind projects in California rated at 100 kW or greater that sell electricity: turbine manufacturers, model numbers, rotor diameters and kW ratings; the number of cumulative and new turbines installed; the projected output per turbine; the output for

each turbine model; and the output for the entire project.

What Information is Not Provided by WPRS Quarterly Reports?

WPRS reports do not provide information on all wind energy projects in California. Nonoperating wind projects are not required to report performance information. The absence of a project from WPRS reports typically indicates that the project is not selling any power or is less than 100 kw. Other capacity not reported includes turbines that do not produce electricity for sale including turbines installed by utilities, government organizations and research facilities. Although included in previous WPRS reports, aggregate cost data is not included in this 1988 report. This is because the cost data reported for new capacity was too limited to provide an accurate industry cost profile. Lastly, WPRS reports are not able to always differentiate between old and new turbine performance. This is because turbines are often reported in groups combining old and new machines. However, where new turbine performance could be analyzed separately, it is evaluated to track any technology improvements.

3. WPRS IMPLEMENTATION ISSUES

A number of problems were encountered and resolved the first two years of WPRS reporting and are discussed below.

Validating performance data. It was originally intended that utility quarterly reports would be used to validate operator output data. However, numerous problems occurred. First, some utilities did not provide information according to a calendar quarter. Second, utility data was only provided for the operator who filed a power sales agreement. However, in many cases more than one project was reported under a single utility contract making it difficult to verify individual project output figures. In order to establish a more reliable validation procedure, staff added utility receipts as a voluntary additional submission item to be filed with quarterly reports. Operator reported output figures that agree with either submitted utility receipts or utility reported data have been noted as validated.

Operators who failed to file. Utility quarterly reports inform Commission staff of all wind farm operators with projects rated 100 kW or greater who have sold power and are therefore required to submit WPRS reports. Those operators that sold power but did not submit reports were noted as "failed to file." By the end

of the year, seven operators had failed to file. Depending on the circumstances, Commission staff will consider various options for resolving the situation.

Operators who filed reports with data missing. Some operators filed WPRS reports with one or more data items missing. The predominant missing data item was the projected quarterly output per turbine. Apparently, some wind projects were sold with only annual output estimates. Staff will continue to try and work with operators to report complete information.


4. CALIFORNIA WIND RESOURCE AREAS

The wind resource map on this page includes the geographic location and quality associated with the major wind resource areas in California. The following six resource areas currently report wind project information:

- Altamont Pass
- Boulevard (resource area in San Diego County not shown on map)
- Carquinez Straits
- Salinas Valley (resource area in Monterey County not shown on map)
- San Gorgonio Pass
- Tehachapi Pass

Areas designated "good" are roughly equivalent to an estimated mean annual power, at 10 meter height, of 200 to 300 watts per square meter (W/m2), and "excellent" above 300 W/m2.

Source: A. Miller and R. Simon, "Wind Power Potential in California," San Jose State University, prepared for the California Energy Commission, May 1978.



5. STAFF SUMMARY

5.A INDUSTRY PERFORMANCE

Total Capacity. A cumulative capacity of 1,202 megawatts was reported operational during the fourth quarter of 1988 to the WPRS program. Although this total capacity represents substantial growth since the beginning of 1985 when there was just over 500 MW, it also represents a significant decline since the end of 1987 when there was more than 1,300 MW. One probable explanation for this downward trend is the attrition of turbines installed between 1981 and 1985. These turbines were often manufactured and/or installed nastily due to time constraints. This is because investor financing was typically available late in the calendar year, but projects had to be completed by the end of the year to qualify for tax incentives. The authors expect this attrition to continue in the near future.

The total 1988 cumulative capacity does not include a significant amount of capacity that is no longer operating. For a complete list of nonoperating projects see *Appendix A*.

Electricity Output. In 1988, the California wind industry produced approximately 1,818 million kWh of electricity. This is enough power to meet the annual electricity needs of approximately 300,000 typical California homes.

Electricity Production Percent of Projected.

Although the production from California wind projects represents a substantial amount of electricity, the industry as a whole only produced 62% of the total output it projected for 1988. Both industry observers and participants agree that many wind developers overstated their capabilities and provided projections that were not achievable. Note, however, that the percent of projected has increased 17% since 1985 (45%).

Capacity Factor. Capacity factors are a useful indication of performance. A capacity factor is the ratio of actual energy output to the amount of energy a project would produce if it operated at full rated power, 24 hours a day, over a given time period. As indicated earlier, there should be standardized testing of all wind turbines for capacity factors to be truly comparable, but currently there is no such program. Instead, wind turbine ratings are based on widely varying test conditions and miles per hour specifications. Note, however, the American Wind Energy Association has completed development of voluntary standards for testing wind turbines. Nonetheless, capacity factors are still a good indication of wind project performance. The annual capacity factor is the average of the quarterly capacity factors calculated for each group of turbines reported. Only operating turbines were used to calculate capacity factors so that the performance results would not be skewed by nonoperational capacity. For projects with new turbines, only half of the new capacity is included in the capacity factor calculation during the quarter of installation. This is because new turbines are not likely to operate for the entire quarter they are installed. In addition, new equipment typically needs a "debugging" period before it operates at full rated power.

The resulting statewide capacity factor for 1988 was 17%. This is substantially below 20 to 30% capacity factors cited for wind turbines in most technical reports but represents a 31% increase over the 13% capacity factor from the first two WPRS years (1985 and 1986), and a 4.6% increase from the 16% capacity factor for 1987. The upper limit capacity factor estimated for wind technology ranges from 30 to 35%. Indeed, one project consistently achieves this upper limit including an annual capacity factor of 33% this year.

The low performance indicated for the industry as a whole is consistent with the low percent of projected electricity production. However, it appears that the statewide average performance may be adversely affected by a substantial number of older turbines that are less reliable and less efficient than the turbines currently being installed. In fact, where wind turbines installed after 1985 could be separately analyzed,




Figure 1: Capacity Factors for New and Cumulative Turbine Stock

the capacity factor was 21%, or 24% higher than the industry as a whole (*Figure 1*).

Kwh per Square Meter. Annual kWh per square meter calculations provide another good wind technology performance indicator. The advantage of this indicator is that it is based on blade swept area, which is a wind turbine specification determined by standard measurements rather than non-standardized kW ratings used to determine capacity factors. Unfortunately, it is still difficult to develop directly comparable kWh per square meter results. This is because the data reported for some turbine models include new turbines which have not had the benefit of a full operational year. Where any kWh per square meter calculation does not include a full operational year for all turbine, an asterisk has been marked next to the value on all summary tables.

For 1988, the average kWh per square meter annual production was 639 or 9% higher than for 1987 (584). Where turbines installed after 1985 could be isolated, the resulting kWh per square meter increased 19% to 761. (Figure 2)





Figure 2: Kwh Per Square Meter Production for New and Cumulative Turbine Stock


5.B INDUSTRY PRODUCTION AND CAPACITY TRENDS

Statewide


The growth rate of wind development has continued to decline in 1988 in response to the expiration of federal and state tax credits at the end of 1985 and 1986 respectively. By the end of 1988, 59 MW of new capacity had been installed. By comparison, almost 400 MW of new capacity was installed in 1985 when developers rushed to take advantage of expiring tax credits. As noted earlier, there was a very high attrition rate in 1988 that substantially exceeded new capacity. This resulted in total cumulative capacity decreasing from 1,304 MW in 1987 to 1,202 MW in 1988 (Figure 3).


Wind output in 1988 was consistent with the typical California wind resource profile: low winds at the beginning and end of the year with high winds during spring and summer when the heating season creates a natural draw of cool coastal air into hot valleys and deserts. The data showed that almost 70% of all annual output was produced in the second and third quarters of 1988 (Figure 4).





Although total capacity dropped more than 100 MW since 1987, productivity is steadily increasing. Total output in 1988 increased more than 5% since 1987 and 170% since 1985 (Figure 5). Quarterly capacity factors were consistent with the California wind resource profile just discussed. The capacity factors were 9, 23, 22, and 12 percent respectively for the first, second, third, and fourth quarters. The total annual capacity factor has increased from previous years (Figure 6). The annual average statewide capacity factor for 1988 was 17% compared to 16% for 1987, and 13% for both 1986 and 1985.










Figure 6: Statewide Capacity Factors

Resource Areas

Although wind projects are reported to WPRS for seven different resource areas in California, virtually 100% of all California capacity and output occurs in three resource areas: Altamont Pass, San Gorgonio Pass and Tehachapi Pass. All three of these areas are narrow mountain passes leading into hot and dry valley or desert regions. Among these three resource areas, 52% of all capacity is in the Altamont Pass, 17% is in San Gorgonio Pass and 31% is in Tehachapi Pass (Figure 7). Growth as a percent of existing capacity was highest in Altamont (8%) followed by San Gorgonio (2%) and Tehachapi (1%). Quantitatively, almost 87% of all new capacity was developed in the Altamont Pass. The kWh output and percent of total statewide output for each resource area shown in Figure 8. Compared with the capacity distribution from Figure 7, Altamont (54% output vs. 52% capacity) and San Gorgonio (18% output vs. 17% capacity) produced a slightly greater proportion of output and Tehachapi (28% output vs. 31% capacity) produced a slightly lower proportion of output.





Among the three largest resource areas, San Gorgonio had the highest capacity factor (20%), followed by Altamont (17%) and Tehachapi (15%) (Figure 9). It is possible that San Gorgonio's higher capacity factor is partly attributed to newer machines in this resource area. This is because many San Gorgonio wind developers met substantial delays getting local government approvals for their projects during early wind development years. In addition, it is important to note that two very large developers significantly impact Altamont's performance with more than 230 MW of capacity with only a 7% average capacity factor.




Figure 9: Capacity Factor by Resource Area

Turbine Size

Although many industry specialists predict that turbines in the 300 kW size range will be the trend for future wind development, 1988 data continues to indicate that 51 to 100 kW is still the dominant size category. This turbine size accounted for more than two-thirds of cumulative wind capacity and almost 90% of new capacity(Figure 10). The capacity percentages for all turbine size categories are: 5% for 0-50 kW, 68% for 51-100 kW, 19% for 101-150 kW, 3% for 151-200 kW and 6% for greater than 200 kW. It should be noted that the 51-100 and 101-150 size categories alone accounted for the predominantly share of cumulative capacity (86%).

The capacity factors were significantly higher and most improved for the 151-200 turbine size category (Figure 11). The actual capacity factors by turbine size category were: 16% for 0-50 kW. 17% for 51-100 kW, 17% for 101-150 kW, 22% for 151-200 kW and 11% for greater than 200 kW.




Figure 10: Capacity by Turbine Size




Figure 11: Capacity Factor by Turbine Size

Turbine Types

Based on the data reported, Energy Commission were able to differentiate between horizontal and vertical axis machines, but not other important turbine characteristics such as downwind and upwind configurations, number of blades, and braking devices. The data on turbine axis shows that the California wind industry is clearly dominated by horizontal axis machines which accounted for 95% of all capacity and 100% of new capacity (Figure 12). Comparing performance, horizontal axis turbines had a 70% higher capacity factor than vertical axis turbines (16% v. 10%) (Figure 13).




Figure 12: Capacity by Turbine Axis




Figure 13: Capacity Factors by Turbine Axis

Similarly, kWh per square meter performance results were also much higher for horizontal axis turbines (639 vs. 535) (*Figure 14*).





Figure 14: Kwh Per Square Meter Production by Turbine Axis

Domestic and Foreign Turbines

There has been widespread interest in how domestic and foreign turbines compare. At the end of 1988, there were 702 MW of domestic turbine capacity compared to 500 MW of foreign turbine capacity. New capacity was predominantly domestic with 52 megawatts of new capacity compared to 8 megawatts of new foreign capacity (Figure 15). The foreign turbine share of total capacity after increasing from 33% in 1985 to 45% at the end of 1986, has slipped slightly to 44% at the end of 1987 and 42% at the end of 1988. However, new foreign turbine capacity percentage of all new capacity has continually decreased from almost 75% of all new 1986 capacity to 51% of all new 1987 capacity and finally 13% of all new 1988 capacity (Figure 16).



It is important to note that new foreign turbine capacity since 1985 accounts for approximately 94% of the total foreign capacity while new domestic capacity from this same two year period represents 59% of total domestic capacity. Thus, foreign turbine performance results benefit from considerably newer machines. In addition, two large developers in Altamont Pass have more than 230 megawatts of capacity with only a 7% average capacity factor that brings down domestic turbine performance. As a result, the capacity factor for foreign turbines (18%) was 15% higher than for domestic turbines. However, if the low performing turbines manufacured by the two large operators just mentioned are eliminated from the domestic turbine data-base, the adjusted domestic turbine performance (19%) surpasses foreign turbines (Figure 17). When using a kWh per square meter analysis to measure performance, domestic turbines were almost 7% higher than foreign turbines without any adjustments (Figure 18). A reason why kWh per square meter performance is comparatively better than capacity factor performance for domestic turbines is that rated capacities appeared to be overstated for domestic turbines, especially the older models.




Figure 17: Capacity Factor by Origin




Figure 18: Kwh Per Square Meter Production by Origin

The Ten Largest Wind Turbine Manufacturers

The ten largest wind turbine manufacturers represent almost almost two-third (64%) of the California wind generating capacity. The four largest manufacturers alone (U.S. Windpower, Vestas, Fayette, and Micon) account for 56% of all capacity. The ten largest manufacturers and their individual generating capacities are shown in Figure 19. There is a wide range of capacity factors among these manufacturers (Figure 20). The manufacturers with the highest capacity factors are Bonus (26%) and U.S. Windpower (22%), followed by Vestas (18%), and Nordtank (17%). It is important to recognize that many factors should be considered when evaluating this data. For instance, U.S. Windpower has a much older turbine base than the foreign machines.




Figure 19: Cumulative Capacity for 10 Largest Turbine Manufacturers





Figure 20: Capacity Factors for 10 Largest Turbine Manufacturers

The annual kWh per square meter results are shown for the ten largest manufacturers in *Figure 21*. The manufacturers with the best results are Bonus (866), U.S. Windpower (816), HMZ (730) and Vestas (615).



(*) Estimated value based on data for 2 quarters

The Five Largest Wind Project Operators

Although the ten largest operators used to be evaluated in previous WPRS reports, this report focuses on just the five largest operators due to industry consolidation and growth limited to just major developers. In fact, the five largest wind project operators (U.S. Windpower, Zond, SeaWest, Fayette, and FloWind) represent almost 85% of the total California wind generating capacity (*Figure 22*). Three of these larger project operators are also manufacturers.

Performance for the largest wind project operators, similar to the largest manufacturers, is also quite varied (Figure 23). The operators with the highest capacity factors are U.S. Windpower (22%), SeaWest (19%) and Zond (18%). It should also be noted that one smaller operator, San Gorgonio Farms (not shown in Figures 22 and 23), has consistently produced the highest capacity factors every year WPRS data has been published including 33% for 1988. This project is significant, because it has consistently demonstrated the potential of wind technology performance when developers combine quality machines and a good wind resource site.




Figure 22: Cumulative Capacity for 5 Largest Project Operators




Figure 23: Capacity Factors for 5 Largest Project Operators

Annual kWh per square meter results for the five largest operators are shown in *Figure 24*. Among these operators, U.S. Windpower (820), FloWind (718), Zond (604), and Seawest (586) had the best performance. Note that among all operators, San Gorgonio Farms (not shown on Figure 24) again had the best performance with 1,014 kWh per square meter.





Figure 24: Kwh Per Square Meter Production for 5 Largest Project Operators

5.C TIME-OF-USE PRODUCTION

The time-of-use distribution for wind generated electricity during California utility peak seasonal demand months (May-October) is illustrated in Figure 25. This profile is based on tabulated utility billing data supplied by approximately half of the wind operators to verify reported wind production figures. This data indicates that production capabilities for wind facilities in California are poorly matched to time-of-use needs. Specifically, among all electricity produced by wind projects during seasonal peak demand months in 1988, only 11% occured during "peak" periods with 27% produced during "mid-peak" periods and almost twothirds (62%) produced during "off-peak" periods. Thus, there is a substantial need for research and development efforts that couples wind systems with existing and emerging energy storage technologies such as pumped hydro, compressed air energy storage and utitlity battery systems. This work is critical both to improve wind technology economics ("peak" electricity during seasonal high demand periods will generally be more valuable by a factor of three or more than "off-peak" electricity) and to optimize wind facility coordination with utility needs (additional power available during peak periods can help defray the need for additional generation plants or defer operation of the most inefficient utility plants typically used during peak periods). Thus, evaluation of the wind

resource at a specific site should not only consider the average wind speed but also the match between the distribution of wind speeds and the distribution of the utility's load.



6. WPRS ANNUAL SUMMARY TABLES

The tables on the following pages include aggregated data for all wind projects that have submitted 1988 quarterly reports to the California Energy Commission as part of the WPRS program. These tables summarize detailed WPRS data included in Section 7 of this report. In addition to statewide information, the summary tables were designed to provide information for different resource areas, turbine sizes, turbine types, turbine manufacturers, turbine operators, and for domestic and foreign turbines. Note that the totals for the various subcategories may not always add up to the statewide totals because there were a few projects where missing data did not allow all information to be sorted completely.

Also note that kWh per square meter results include an asterisk if some portion of the cumulative turbine capacity being considered includes new turbine capacity that did not operate for a full year. It is important to recognize that the negative impact on performance for most turbine groups noted with an asterisk is minimal unless the new turbine capacity represents a significant percentage of cumulative capacity.

Data Category	Cumulative Capacity (kw)	New Capacity (kw)	Output (kwh)	Actual /Proj. Output (%)	Actual Capacity Factor (%)	Kwh /square meter	Cumulative Turbines	New Turbines
STATEWIDE								
1st Quarter	1,337,524	18,640	239,341,892	56	9	86*	15,305	186
2nd Quarter	1,261,254	2,700	616,121,259	58	23	222*	14,745	15
3rd Quarter	1,229,485	16,050	615,466,265	65	22	212*	13,790	157
4th Quarter	1,201,613	21,880	347,379,536	81	12	114*	13,457	206
1988 Totals	1,201,613	59,270	1,818,308,952	62	17	634*	13,457	564
RESOURCE AREA								
Altamont								
1st Quarter	671,600	17,200	86,378,826	71	6	67*	6,782	162
2nd Quarter	635,090	1,200	294,968,833	63	22	241*		12
3rd Quarter	652,225	15,800	397,657,941	78	29	311*		156
4th Quarter	623,400	17,500	135,169,195	• 115	10	106*	6,062	175
1988 Totals	623,400	51,700	914,174,795	75	17	725*	6,062	505
San Gorgonio								
1st Quarter	246,902	1,440	39,535,296	50	11	90*		
2nd Quarter	221,662	1,500	114,851,242	57	34	262*		
3rd Quarter	204,898	0	83,095,580	42	19	146		
4th Quarter	205,678	780	61,231,297	82	14	107*	3,322	13
1988 Totals	205,678	3,720	298,713,415	54	20	605*	3,322	40
<u>Tehachapi</u>								
1st Quarter	416,927	0	105,883,407	48	12	109		
2nd Quarter	402,407	0	168,635,558	52		181		
3rd Quarter	370,267	250	92,790,753	49	12	108		
4th Quarter	370,444	3,600	113,358,024	54	14	132	* 4,007	18
1988 Totals	370,444	3,850	480,667,742	51	15	530	* 4,175	5 19

Data Category	Cumulative Capacity (kw)	New Capacity (kw)	Output (kwh)	Actual /Proj. Output (%)	Actual Capacity Factor (%)	Kwh /square meter	Cumulative Turbines	New Turbines
TURBINE SIZE								
<u>0 - 50 kw</u>								
1st Quarter 2nd Quarter	99,960 101,035	. 0	12,132,695 30,669,110	36 54	10 25	71 178	2,771 2,813	0
3rd Quarter 4th Quarter	84,065 63,035	0 0	23,675,787 15,550,921	53 65	18 12	129 87	2,435 2,011	0
1988 Totals	63,035	0	82,028,513	52	16	465	2,011	0
51 - 100 kw					· · · · · · · · · · · · · · · · · · ·			
1st Quarter 2nd Quarter 3rd Quarter 4th Quarter	838,954 802,804 761,410 787,625	17,140 1,200 15,500 18,280	146,756,599 405,455,555 393,321,154 203,469,820	56 60 69 91	8 24 24 12	81* 231* 230* 115*	9,948 9,532 8,881 9,124	181 12 155 188
1988 Totals	787,625	52,120	1,149,003,128	69	17	657*	9,124	536
<u>101 - 150 kw</u>								
1st Quarter 2nd Quarter 3rd Quarter 4th Quarter 1988 Totals	231,628 233,083 221,828 222,071 222,071	0 0 0 0	50,798,420 103,745,935 94,648,131 67,312,299 316,504,785	67 67 56 72 64	12 24 19 14	110 224 175 124 633	1,906 1,918 1,816 1,818	0 0 0 0
151 - 200 kw			010,301,703					
1st Quarter 2nd Quarter 3rd Quarter 4th Quarter	45,360 17,960 45,760 21,960	0 0 0 0	8,074,035 12,062,055 23,126,650 7,441,193	55 64 73 57	8 36 24 20	89 303 252 153	245 108 247 128	0 0 0 0
1988 Totals	21,960	0	50,703,933	65	22	797	185	0

Data Category	Cumulative Capacity (kw)	New Capacity (kw)	Output (kwh)	Actual /Proj. Output (%)	Actual Capacity Factor . (%)	Kwh /square meter	Cumulative Turbines	New Turbines
TURBINE SIZE								
<u>200+ kw</u>							105	-
1st Quarter	121,622	1,500	14,273,926	43	7	84*	435	5 3
2nd Quarter	106,372	1,500	26,888,063	35	12	160*	374	2
3rd Quarter	116,422	550	39,119,704	62	16	212*	411 376	0
4th Quarter	106,922	0	16,127,498	50	7	97	3/6	
1988 Totals	106,922	3,550	96,409,191	47	11	503	376	10
TURBINE AXIS Horizontal Axis								
1st Quarter	1,242,689	18,640	215,094,115	56	9	84*		186
2nd Quarter	1,166,419	2,700	550,139,074	59	24	224*		15
3rd Quarter	1,134,770	16,050	553,546,647	66	23	216*		157
4th Quarter	1,106,898	21,880	296,117,368	84	12	115*	12,946	206
1988 Totals	1,106,898	59,270	1,614,897,204	. 63	17	639*	12,946	564
Vertical Axis								
1st Quarter	94,835	0	16,941,560	51	8	113	512	
2nd Quarter	94,835	0	28,681,644	45	14	192	512	
3rd Quarter	94,715	0	20,344,779	52		137	511	
4th Quarter	94,715	0	13,784,354	46	7	93	511	0
1988 Totals	94,715	0	79,752,337	48	10	535	511	0

Data Category	Cumulative Capacity (kw)	New Capacity (kw)	Output (kwh)	Actual /Proj. Output (%)	Actual Capacity Factor (%)	Kwh /square meter	Cumulative Turbines	New Turbines
TURBINE MANUFACTU	RERS 1988 TOTALS							
Aeroman (Ger)	11,320	0	17,114,550	-	17	492	283	0
Airmaster (USA)	1,000	0	0	-	-	-	10	0
Blue Max (USA)	3,200	0	1,144,083	19	4	147	80	0
Bonus (Den)	76,545	0	196,529,726	82	26	866*	799	0
Bouma (Neth)	4,860	0	567,940	-	1	51	36	0
Carter (USA)	10,600	0	6,886,640	24	7	257	298	0
Century (USA)	9,275	0	1,350,903	<u>-</u>	3	262	109	0
Danwin (Den)	17,310	0	36,591,795	59	24	803	116	0
Dynergy (USA)	14,544	0	0	-	-	_	171	0
EŚI (UŚA)	24,060	0	18,473,332	30	10	299	354	0
Enertech (USA)	20,510	0	42,550,152	72	24	614	485	0
Fayette (USA)	137,270	0	57,355,023	29	5	423	1,370	0
Floda (Aust)	1,500	0	2,058,480	58	30	674*	3	3
Flowind (USA)	94 <i>,</i> 715	0	79,752,337	48	10	536	511	0
HMZ (Belgium)	37, 300	1,500	24,579,999	86	15	730	174	5
Howden (Scot)	28,410	0	32,508,049	61	13	514	93	0
Jacobs (USA)	11,705	0	19,348,442	70	19	610	630	0
Lolland (Den)	7,075	0	1,606,632	40	10	-	71	0
MWT (Japan)	5,000	0	9,754,468	<i>7</i> 5	22	993	20	0
Micon (Den)	134,279	250	173,971,940	49	18	541*	1,521	1
Nordtank (Den)	71,495	2,220	115,960,170	67	17	544*	840	37
Polenko (Neth)	1,500	0	2,099,151	43	13	449	15	0
Starwind (USA)	625	0 .	110,027	-	3	-	5	0
Strm Mstr (USA)	6,680	0	2,124,315	15	4	152	167	0
Sumitomo (Japan)	200	0	332,630	-	19	916	. 1	0
US Wndpwr (USA)	327,200	49,900	553,276,801	90	22	816*	. 3,272	499
Vanguard (USA)	5,700	0	780,000	-	6	-	60	0
Vestas (Den)	166,280	3,600	263,095,993	54	18	615*	2,044	18
WEG (Eng)	5,300	300	11,147,786	86	25	1,087*	21	1
Wecs-Tec (USA)	1,985	0	0	-	-	· -	30	0
Wenco (Switz)	2,800	0	8,730	-	-	-	14	0
Wincon (USA)	1,944	0	2,834,105	56	16	53 7	18	0
Windane (USA)	560	0	501,996	-	10	249	14	0
Windmatic (Den)	15,720	0	18,533,849	61	13	448	198	0
Windtech (USA)	9,750	0	350,125	-	1	16	130	0

Data Category	Cumulative Capacity (kw)	New Capacity (kw)	Output (kwh)	Actual /Proj. Output (%)	Actual Capacity Factor (%)	Kwh /square meter	Cumulative Turbines	New Turbines
PROJECT OPERATORS 19	88 TOTALS							
Altamont Energy	-	-	25,108,645	-	-	-	-	-
AltAmer. Partners	•	-	311,280	- 71	20	•	374	0
Amer. Divers.	24,730	0	43,482,939	71	20	626	204	0
Amer. Power Sys.	3,705	0	6,667,454	82	20	399	335	0
Arbutus	22,325	0	26,339,500	54	13	160	30	0
Buckeye	660	0	375,584	34	6	492	283	0
CTV	11,320	0	17,114,550	-	17 14	492*	869	1
Cannon	77,438	250	85,907,103	1.6		492	4	0
Casas del Sol	160	0	44,500	16	4	-	76	ő
Dollar Energy	4,220	0	1,585,200	28	5 18	595	91	ŏ
Energy Unlimited	4,915	0	7,562,700	64	7	333	20	
Energy 21	500	0	229,200	_	/	-	20	-
En. Dev. & Con.	-	-	462,000	- 21	5	444	1,418	0
Fayette	142,754	0	66,375,829	31 68	15	718	862	
Flowind	139,440	0	190,690,516	61	13	514	93	
Howden	28,410	0	32,508,049	19	4	147	80	
Liberty Windfarms	3,200	0	1,144,083	60	18	528	134	
Natural Resource Ven.	8,710	0	14,220,000	68	26	649	85	
OESC	3,400	0	7,773,711	45	11	017	489	
Oak Creek	32,630	0	19,911,196	46	14	458	376	
Ren. Energy Ven.	17,080	0	21,304,800	40	9	152	6	
Richard Immel	150	0	124,805	70	33	1,014*		
San Gorg. Farms	16,010	1,500	44,992,418	70	-	1,014	200	
Sandberg	-		31,404,000	54	19	586	1,603	3 0
SeaWest	144,504	0	189,287,931	72	13	483	188	
So. Cal. Sunbelt	17,610	0	16,098,222	10		115	146	
TERA	8,620	0	2,751,427	-	4	-	293	
Triad Amer. En.	31,480	0	8,842,402	90		820		
U.S. Windpower	332,500	50,200	564,424,587	59 59		560		
Western Wind	3,351	0	5,292,724 230,000	J9 -		-		_ <i>-</i>
Wind Farms Man.		-		75		963	•	1 0
Wind Gen. Parks	250	0	319,800 7,157,837	33		700	- 11	1 18
Windland	11,325	3,600	7,157,837 46,609,085	86		-	. 174	
WindMaster	37,300	1,500	3,364,000			-	•	
Windridge	- . =0.0		14,440,297	66	26	694	. 14	4 0
Windustries	6,720	0	46,795,222	65		650		6 37
Wintec	24,636	2,220		53		604		
Zond	168,795	0	267,055,656	30	, 10		_,	

Data Category	Cumulative Capacity (kw)	New Capacity (kw)	Output (kwh)	Actual /Proj. Output (%)	Actual Capacity Factor (%)	Kwh /square meter	Cumulative Turbines	New Turbines
DOMESTIC AND FOREIG	N TURBINES 1988 T	OTALS						
Domestic Turbines								
1st Quarter	720,524	15,700	85,079,404	59	6	70*	8,491	157
2nd Quarter	7 16,589	2,700	290,751,208	59	21	228*	8,502	15
3rd Quarter	697,560	15,800	333,952,287	71	23	253*	8,063	156
4th Quarter	701,965	17,500	141,688,051	91	10	103*	7,869	175
1988 Totals	7 01,965	51,700	851,470,950	64	15	654*	7,869	503
Foreign Turbines								
1st Quarter	617,000	2,940	146,956,271	53	12	99*	6,814	29
2nd Quarter	544,665	0	288,069,510	58	26	217	6,243	0
3rd Quarter	531,925	250	239,939,139	71	20	172*	5,727	1
4th Quarter	499,648	4,380	168,213,671	49	15	126*	5,588	31
1988 Totals	499,648	7,570	843,178,591	58	18	614*	5,588	61

7. WPRS DATA

This section of the report includes WPRS 1988 project data as submitted by wind project operators for all four quarters. In addition, totals are shown for the entire year. The data are organized into separate sections for each resource area. Operators are listed alphabetically within each resource area section and numbered sequentially through this entire WPRS Data section. The following alphabetical listing of wind project operators and participants is keyed to these sequential numbers for quick access to specific wind industry data. Appendix B includes a list of all turbine maufacturers also keyed to these sequential numbers. After the operator listing, notes are provided that describe how data are reported. As mentioned earlier, it is important to remember that these data only represent performance results for one year and should not be used as the sole basis for evaluating wind projects.

Alphabetical Listing of Wind Project Operators and Participants

The following alphabetical listing includes all operators and other participants involved in wind projects that reported 1988 data to the WPRS program. The number in parentheses following each operator and other participant refers to the sequential number location in this section.

Altamont-Amer. Partners	(1A)	Renewable Energy Ventures	(21A-B)
Altamont Energy Corp.	(2A)	Richard Immel Wind Farm	(13A)
Altech Energy Ltd.	(7A)	San Gorgonio Farm	(22A)
Altech Energy Ltd., II	(20A)	Sandberg Wind Corp.	(23A)
Amer. Diversified Cap. Corp.	(3A-B)	SeaWest	(3A, 7A-G,
Amer. Power Systems	(17A)		12A,24A-C, 40A)
Arbutus	(31A)	Southern Cali. Sunbelt	(25A, 41A)
Buckeye International	(12A)	TaxVest Wind Farms	(7E-F)
Cali. Wind Energy Sys.	(7C)	TERA Corp.	(8A)
Cannon Financial Group	(32A-B)	Triad American Energy	(26A, 42A)
Casas Del Sol	(16A)	U.S. Windpower	(9A-E)
CCC Alter. Energy Venture	(17A)	Viking-Energy 83 Ltd.	(7G)
Coram Energy Group	(33A-D)	Western Windfarms	(7B, 27A)
Dollar Energy Sys. Corp.	(34A)	Wind Farms Mgmnt.	(43A)
Energy Devel. & Construc. Co.	(18A)	Wind Generator Parks, Inc.	(14A)
Energy Conversion Tech.	(33A-D)	Windland	(42A, 44A-B)
Energy 21, Inc.	(15A)	WindMaster	(10A)
Energy Unlimited, Inc.	(19A, 35A)	Windridge, Inc.	(45A)
Fayette	(4A-I)	Windustries	(28A)
Flowind Corp.	(5A-B, 36A-B)	Wintec, Ltd.	(29A-F)
Grant Line Energy Corp.	(2A)	Zond Systems, Inc.	(11A, 30A-B, 46A-K)
Howden Wind Parks, Inc.	(6A)		•
Liberty Windfarms	(37A)		
Natural Resource Ventures	(38A)		
Oak Creek Energy Systems	(39A)		
O.E.S.C.	(20A)		
PanAero Corp.	(30B)		
Phoenix Energy, Ltd.	(24C)		

WIND DATA SECTION NOTES

Definitions for most of the wind data categories used in this section are provided in the WPRS regulations included in Appendix C. The discussion below includes other important notes on how data is reported in this section as well as points of clarification.

Data missing. Some operators have submitted incomplete reporting forms. In these cases, the items not completed have been noted as "data missing." It should be noted that operators with missing data are in violation of WPRS regulations.

Electricity Produced. Individual turbine model outputs submitted by wind operators are included for each quarter along with the annual total. In addition, the annual total for the entire project follows after the data for the individual turbine models. Note that the individual turbine model outputs may not always add up to the total project output. This is because individual turbine production is usually read from meters owned by project operators, whereas the total project output is measured from utility substation meters. Line losses and calibration differences between meters should account for these differences. The validation status of output data is noted in the parentheses next to the quarter output reported for each turbine model: "V" indicates that the data has either

been validated by utility billings supplied by the operator or matched utility reported outputs; "NV" indicates operator data was not validated because it did not match any utility billings or utility reported quarterly data, and "UD" indicates that an operator did not report required WPRS information and that the output data comes from data in utility submitted quarterly reports.

Failed to File. Commission staff identified wind project operators that have not reported data but according to utility reports should have participated in the WPRS program. These operators were subsequently notified by mail of the WPRS requirements. Commission staff listed these operators with an indication that they "failed to file" if after sending notification, the identified operators either still did not respond, or did not provide an explanation as to why they were not required to participate in the WPRS program.

Other Participant(s). In some cases other participants in addition to the listed project operator may be involved in a project. These other participants could include project managers, joint venture partners, wind developers using another developer's site, etc.

Projected Quarterly Production Per Turbine. The total quarterly projected production for a specific turbine model can be determined by multiplying the "Projected Quarterly Production Per Turbine" times the "Cumulative Number of Turbines" for that turbine model. The total quarterly projected production for an entire project can be calculated by adding the projected production totals for all turbine models in a project. Comparing this total projected production to the total project "Electricity Produced" indicate how close a specific project came to meeting its projected output. When making this comparison, note any new capacity would not have had the benefit of a full operational quarter for the quarter they were installed.

Rotor (M²). The diameter of the rotor swept area for each wind turbine allows different wind systems to be compared independent of wind resource area. Theoretically, the power available for any wind turbine is proportional to the square of the diameter of the rotor swept area. Thus, doubling the size of the rotor diameter should increase the power output by a factor of four.

Size (kw). For each turbine model listed, the kw size rating is followed by a miles per hour (mph) specification noted in parentheses. As noted earlier, these mph specifications vary widely for different turbine models because there is no standardized rating method.

Location/Operator/Project	•	11000	Rotor (M2)	Size (kw)	Quarte Annual	Projected Quarterly Production r; Per Turbine (kwh)	Turbines Installed New Cum.	Produced
ALTAMONT PASS								
(Alameda and Contra Costa)								
1. ALTAMONT-AMERICAN PARTNERS 5755 Oberlin Drive Suite 200 San Diego, CA 92121								
	h turning Destrons	FAILED TO FILE			1			14,160 (UD
A. Altamo	ont-American Partners	FAILED TO FILE			2			64,080 (UD 182,640 (UD
		FAILED TO FILE FAILED TO FILE			3 4			50,400 (UD
		Project Total:						311,200
	=======================================							
2. ALTAMONT ENERGY CORP.								
337 Preston Court Livermore, CA 94550-9678								
Livermore, CA 94550-9678	Ranch and Souza Ranch	FAILED TO FILE			1			2,840,857 (UD 8 709 168 (UD
Livermore, CA 94550-9678 A. Jess F	Ranch and Souza Ranch	FAILED TO FILE			2			8,709,168 (UD
Livermore, CA 94550-9678	Ranch and Souza Ranch	FAILED TO FILE FAILED TO FILE FAILED TO FILE			3			8,709,168 (UE 7,258,199 (UE 6,300,421 (UE
Livermore, CA 94550-9678 A. Jess F Other Participant: Grant Line Energy Corp.		FAILED TO FILE FAILED TO FILE FAILED TO FILE			2 3 4			8,709,168 (UE 7,258,199 (UE 6,300,421 (UE ====================================
Livermore, CA 94550-9678 A. Jess F Other Participant: Grant Line Energy Corp.		FAILED TO FILE FAILED TO FILE FAILED TO FILE			2 3 4			8,709,168 (UE 7,258,199 (UE 6,300,421 (UE ====================================
Livermore, CA 94550-9678 A. Jess F Other Participant: Grant Line Energy Corp. 3. AMERICAN DIVERSIFIED CAPITAL C 523 N. 6th St. Suite 400	:=====================================	FAILED TO FILE FAILED TO FILE FAILED TO FILE			2 3 4			8,709,168 (UE 7,258,199 (UE 6,300,421 (UE ====================================
Livermore, CA 94550-9678 A. Jess F Other Participant: Grant Line Energy Corp. 3. AMERICAN DIVERSIFIED CAPITAL C 523 N. 6th St. Suite 400 Los Angeles, CA 90014	:=====================================	FAILED TO FILE FAILED TO FILE FAILED TO FILE ===================================			23 24 ==================================	1 7,90	 0 0	8,709,168 (UE 7,258,199 (UE 6,300,421 (UE 25,108,645 ====================================
A. Jess F. Other Participant: Grant Line Energy Corp. 3. AMERICAN DIVERSIFIED CAPITAL C. 523 N. 6th St. Suite 400 Los Angeles, CA 90014 A. AmeriCan Other Participant: A. AmeriCan Other Participant: A. AmeriCan Other Participant:	corp.	FAILED TO FILE FAILED TO FILE FAILED TO FILE ===================================			29 mph		0 0 0 0 10 0	8,709,168 (UE 7,258,199 (UE 6,300,421 (UE 25,108,645 ====================================
Livermore, CA 94550-9678 A. Jess F. Other Participant: Grant Line Energy Corp. 3. AMERICAN DIVERSIFIED CAPITAL CONTROL SECTION SECTI	corp.	FAILED TO FILE FAILED TO FILE FAILED TO FILE ===================================			29 mph	1 7,90 2 7,90	0 0 10 0 10 TO FI 10 TO FI	8,709,168 (UE 7,258,199 (UE 6,300,421 (UE 25,108,645 ====================================

^{*} Output for this "Failed To File" project is included only under the first listed turbine model of the first listed project.

Location/Operator/Project		Turbine Model A:	Rotor xis (M2)	Size (kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		oines alled Cum.	Electricity Produced (kwh)
ALTAMONT PASS									
(Alameda and Contra Costa	a)								
3. AMERICAN DIVERSIFIED CAP	ITAL CORP. (Con't.)								
Α.	American Diversified Wind Partners, Con't.	Windmatic 14-65	(H) 184	65 kw a	35 mph 1 2 3 4	6,090 6,090 FAILED FAILED	0 0 TO TO	26 26 FILE FILE	144,693 (NV) 0 (NV) - * - *
					Annual	12,180			144,693
		Project Total:				**********	=====	:=====	24,164,270
В.	Windfarm II	Bonus 65	(н) 181	65 kw â	38 mph 1 2 3 4	21,885 57,088 FAILED FAILED	0 0 TO TO	211 211 FILE FILE	2,871,035 (V) 9,966,450 (V) - * - *
					Annual	78,973			12,837,485
		Nordtank 65/13	(H) 201	65 kw a	35 mph 1 2 3 4	24,170 63,050 FAILED FAILED	0 10 10		1,114,165 (V) 5,367,019 (V) - * - *
					Annual	87,220			6,481,184
		Project Total:			======================================	=======================================		•	19,318,669

^{*} Output for this "Failed To File" project is included only under the first listed turbine model of the first listed project.

Location/Operator/	Proje	ct 	Turbine Model	Axis	Rotor (M2)	Size (kw)		Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		oines alled Cum.	Electricity Produced (kwh)	
ALTAMONT PASS													
(Alameda and Contr	a Cos	ta)											
FAYETTE P.O. Box 1149 Tracy, CA 95378													
Ŀ	Α.	Castello Windranch	Fayette 95IIS	(H)	95	95 kw a	37 mpł	1 2 3 4	7,000 64,400 61,600 7,000	0 0 0 0	8 8 8 8	16,473 85,263 164,659 43,340	(V) (V)
				====		~~~~		Annual	140,000			309,735	
			Project Total:							=====	=====	309,735	
	В.	Fayette Wind Farms	Bonus 120/20		296	120 kw อ	34 mph		15,000 138,000 132,000 15,000	0 0 0 0 0	14 14 14 14 14	286,288 (1,052,579 (1,245,767 (412,242 ((V) (V)
			************					Annual	300,000			2,996,876	
			Fayette 400kw	(H)	374	400 kw a	44 mph	1 2 3 4	30,000 276,000 264,000 30,000	0 0 0 0	2 2 2 2	0 (0 (0 ((V) (V)
								Annual	600,000			0	
			Fayette 75IIS	(H)	85	75 kw â	40 mph	1 2 3 4	6,000 55,200 52,800 6,000	0 0 0 0	19 19 13 10	30,402 (156,656 (208,088 (38,562 ((V) (V)
								Annual	120,000			433,708	

Location/Operator/Pr			Turbine Model	Axis	Rotor (M2)	Size (kw)		Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		oines called Cum.	Electricity Produced (kwh)
ALTAMONT PASS												
(Alameda and Contra	Costa)											
4. FAYETTE (Con't.)												
	B. Fay	ette Wind Farms, Con't.	Fayette 75IS	(H)	85	75 kw a	48 mpł	1 2 3 4	5,000 46,000 44,000 5,000	0 0 0 0	4 4 4	8,788 (V) 32,102 (V) 30,889 (V) 6,702 (V)
			***********	- <i></i>				Annual	100,000			78,481
			Fayette 951IS	(H)	95	95 kw a	37 mpł	1 2 3 4	7,000 64,400 61,600 7,000	0 0 0 0	1090 1089 1079 1069	2,825,836 (V) 16,984,741 (V) 23,385,486 (V) 5,235,983 (V)
					· • •			Annual	140,000			48,432,046
			Micon M110/US	(H)	293	108 kw a	33 mph	1 2 3 4	15,000 138,000 132,000 15,000	0 0 0 0	8 8 8	135,905 (V) 468,453 (V) 477,706 (V) 108,278 (V)
			=======================================	z======				Annual	300,000			1,190,342
			Project Total	:		=======================================						53 131 453
(d Energy Technology ociates II (WETA II)	Fayette 400kw		374	400 kw a	44 mph	1 2 3 4	30,000 276,000 264,000 30,000	0 0 0 0	23 23 23 23 23	0 (V) 563 (V) 18,590 (V) 13,441 (V)
				·				Annual	600,000			32,594

Location/Operato			Turbine Model	Axis	Rotor (M2)	Size (kw)	A	uarter; nnual	Projected Quarterly Production Per Turbine (kwh)	Turbi Insta New		Electricity Produced (kwh)
ALTAMONT PASS												
(Alameda and Con	tra Cos	ta)										
4. FAYETTE (Con't.)	°C.	Wind Energy Technology Associates II (WETA II), Con't.	Fayette 9511S	(H)) 95	95 kw a	37 mph	1 2 3 4	7,000 64,400 61,600 7,000	0 0 0 0	33 33 33 33	94,193 (V) 690,432 (V) 860,077 (V) 139,626 (V)
	:							Annual	140.000			1,784,328
			========= Project Total ==========	:					=======================================			1,816,922
	D.	Wind Energy Technology Associates III (WETA III)	Bonus 120/20) 296	120 kw ଇ	29 mph	1 2 3 4	15,000 138,000 132,000 15,000	0 0 0	11 11 11	833,489 (V) 973,623 (V)
								Annual	300,000		.	2,379,828
			Fayette 95118	G (H	1) 95	95 kw a	37 mph	1 2 3 4	7,000 64,400 61,600 7,000	0 0	19 19	315,246 (V) 416,556 (V)
								Annual	140,000			913,388
			Micon M110/U	S (I	1) 293	108 kw อ	33 mph	1 2 3 4	15,000 138,000 132,000 15,000	0 0	15 15	937,980 (V) 991,967 (V)
								Annual	300,000)		2,453,760
			========= Project Tota						======================================			5,746,976 =========

Location/Operator,			Turbine Model	Axis	otor (M2)	Size (kw)		luarter; Innual	Projected Quarterly Production Per Turbine (kWh)	Turbi Insta New		Electricity Produced (kwh)
ALTAMONT PASS												
(Alameda and Cont	ra Cos	ta)										
4. FAYETTE (Con't.)												
	Ε.	Wind Energy Partners I	Fayette 75IIS	(ዘ)	85	75 kw â	40 mph	1 2 3 4	6,000 55,200 52,800 6,000	0 0 0 0	30 30 30 30	35,500 (V) 205,064 (V) 334,855 (V) 79,111 (V)
								Annual	120,000			654,530
			Project Total	:					***********			654,530
	F.	Wind Energy Partners II	Fayette 7511S	(H)	85	75 kw ฉิ	40 mph	1 2 3 4	6,000 55,200 52,800 6,000	0 0 0 0	78 78 78 78	105,684 (V) 651,989 (V) 886,400 (V) 216,939 (V)
								Annual	120,000			1,861,012
			Project Total	:					=======================================	======	=====	1,861,012
	G.	Wind Energy Partners III	Fayette 75IIS			75 kw a	40 mph		6,000 55,200 52,800 6,000	0 0 0	10 10 10 10	21,340 (V) 53,225 (V) 52,760 (V) 13,115 (V)
								Annual	120,000			140,440
			Fayette 95IIS	(ዘ)	95	95 kw a	37 mph	1 2 3 4	7,000 64,400 61,600 7,000	0 0 0 0	23 23 23 23	43,518 (V) 256,782 (V) 311,742 (V) 83,846 (V)
								Annual	140,000			695,888
			========= Project Total		======			======			=====	836,328

Location/Operator/Projec	t	Turbine Model	Axis	Rotor (M2)	Size (kw)	Α	uart er; nnual	Projected Quarterly Production Per Turbine (kwh)		oines called Cum.	Electricity Produced (kwh)
ALTAMONT PASS	-										
(Alameda and Contra Cost	a)										
. FAYETTE (Con't.) ,	Windranch Partners I	Fayette 95IIS	(ዘ)	95	95 kw a	37 mph	1 2 3 4	7,000 64,400 61,600 7,000	0 0 0	17 17	30,714 (V) 198,887 (V) 378,442 (V) 84,698 (V)
							Annual	140,000			692,741
•		========= Project Total	:								692,741
Ι.	Windranch Partners II	Fayette 95IIS			95 kw a	37 mph	1 2 . 3 . 4	7,000 64,400 61,600 7,000	0	37 37 37 37	373.192 (V)
							Annual	140,000			1,326,132
		========== Project Total		======	========						1,326,132
5. FLOWIND CORPORATION 1183 Quarry Lane Pleasanton, CA 94566	FloWind I (Dyer Road)	Flowind 17		260				17,357 68,169 51,808 15,447		0 75 0 75 0 75 0 75	5 1,136,168 (V) 5 3,400,093 (V) 5 3,748,698 (V)

	Location/Operator/Pr			Turbine Model	Axis	Rotor (M2)	Size (kw)		Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)	Turb Inst New	ines alled Cum.	Electricity Produced (kwh)
	ALTAMONT PASS												
	(Alameda and Contra	Cost	a)										
5.	FLOWIND CORPORATION	(Cor	n't.)										
		Α.	FloWind I (Dyer Road), Con't.	Flowind 19	(V	340	250 kพ ฉิ	38 mph	1 2 3 4	30,717 120,642 91,688 27,338	0 0 0 0	1 1 1	15,170 (V) 39,419 (V) 94,774 (V) 21,553 (V)
				==========					Annual	270,385			170,916
				Project Tota	l:								9,842,383
		8.	FloWind II (Elworthy)	Bonus Mark I	I (H	302	119 kw a	29 mph	1 2 3 4	35,376 117,873 137,893 37,193	0 0 0 0	225 225 225 225 225	7,558,793 (V) 21,072,204 (V) 28,378,318 (V) 10,905,852 (V)
				********					Annual	328,335			67,915,167
				Bonus Mark I	II (H)	415	150 kw a	29 mph	1 2 3 4	48,108 48,108 1,774,412 49,193	0 0 0 0	100 100 100 100	4,075,952 (V) 11,936,309 (V) 15,895,037 (V) 6,141,969 (V)
									Annual	1,919,821			38,049,267
				Danwin H19	(H)	284	110 kw อ	30 mph	2 3 4	31,325 108,504 120,401 32,207	0 0 0 0	25 25 25 25 25	617,384 (V) 1,788,807 (V) 1,565,081 (V) 669,843 (V)
				*******					Annual	292,437			4,641,115

	ion/Operator/Project	Turbine Model	Ro Axis (Size (kw)	Ar	uarter; nnual	Projected Quarterly Production Per Turbine (kwh)			Electricity Produced (kwh)	.
	ONT PASS											
	eda and Contra Costa)											
5. FLOWI	ND CORPORATION (Con't.)											
	B. Flowind II (Elworthy), Con't.	Flowind 17	(V)	260	142 kw ଇ	44 mph	1 2 3 4	23,957 107,527 113,070 24,342	0 0 0 0	73 73 73 73	1,067,650 3,864,531 4,898,171 1,617,532	(V) (V) (V)
	v.						Annual	268,896		<i>.</i>	11,447,884	
		Flowind 19	(V)	340	250 kw a	38 mph	1 2 3 4	39,619 187,009 190,559 40,134	0 0 0 0	19 19 19 19	360,221 1,391,749 1,866,593 284,804	(V) (V) (V)
							Annual	457,321			3,903,367	7
		Daniage Total						=======================================			125,956,800	J
6. HOWDE 3685	EN WIND PARKS, INC. Mt. Diablo Blvd., Suite 251 yette, CA 94549			756	330 kw a	34 mph	1	86,995	0	82		
	A. Howden Wind Park I	Howden 330/3	5 (H)	730	330 KW W	эч трп	2 3 4	236,855 226,695 84,455	0 0	82 82 82	5,989,344 18,525,768	(VV) 8
							Annual	635,000			32,490,30	4
		Howden 60/15	(H)	177	60 kw ର	34 mph	1 2 3 4	14,796 40,284 38,556 14,364	0 0 0	10 10 10		0 (NV) 0 (NV) 0 (NV) 0 (NV)
							Annual	108,000				0

Location/Operator/Project			Rotor Axis (M2)	Size (kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)	Turbin Instal New C		
ALTAMONT PASS									
(Alameda and Contra Costa)									
6. HOWDEN WIND PARKS, INC. (C	Con't.)								
A. H	lowden Wind Park I, Con't.	Howden 750/45	(H) 1590	750 kw ລ	34 mph 1 2 3 4	161,660 440,140 421,260 156,940	0 0 0 0	1 13,	0 (NV) 520 (NV) 125 (NV) 0 (NV)
					Annual	1,180,000		17,	745
		Project Total:						32,508,0	049
 SEAWEST ENERGY GROUP 1455 Frazee Road Suite 300 San Diego, CA 92108 									
A. A Other Participant: Altech Energy, Ltd.	lltech Energy, Ltd.	Enertech 44/40	(H) 141	40 k⊮ ଇ	30 mph 1 2 3 4	9,700 30,900 30,300 9,100	0 0	144 3,052,0 144 3,962,	623 (V) 045 (V) 597 (V) 521 (V)
					Annual	80,000		9,089,	786
		Project Total:						9,089,	
B. A Other Participant: Western Windfarms	astroseal, Battlement	Micon 65/13	(H) 200	65 kw a	30 mph 1 2 3 4	13,700 43,600 42,900 12,800	0	8 238, 8 260,	101 (V) 100 (V) 366 (V) 797 (V)
•			========	v 100 No. 100 and and any san one one are as an	Annual	113,000		660,	
		Project Total:						660,	364

	Location/Operator/Pi			Turbine Model	Axis	otor (M2)	Size (kw)	A	uarter; nnual	Projected Quarterly Production Per Turbine (kWh)	Turb Inst New	ines alled Cum.	Electricity Produced (kwh)
	ALTAMONT PASS												
	(Alameda and Contra	Cost	a)										
7.	SEAWEST ENERGY GROU	P (Cc	n't.)										
	Other Participant: California Wind Ene		C.W.E.S. Ltd.	ESI 54	(H)	211	50 kw a	30 mph	1 2 3 4	9,800 31,300 30,370 9,200	0 0 0 0	30 30 30 30	0 (V) 0 (V) 0 (V) 0 (V)
									Annual	80,670			0
	•									======================================			U
				=========		======	==========	======		=======================================	=====	======	=======================================
		D.	Seawest Energy Group, Inc.	Micon 60/13	(H)	200	60 kw a	33 mph	1 2 3 4	15,100 47,800 47,000 14,100	0 0 0	1	12,472 (V) 149,311 (V) 51,037 (V) 8,653 (V)
									Annual	124.000			221,473
													221,473
				=========	======	=====	=======================================	======	======	=======================================	=====	=====	=======================================
	Other Participant: TaxVest Windfarms,	E.	TaxVest Windfarms, Inc. II	Micon 60/13	(H)	200	60 kw a	33 mph	1 2 3 4	13,700 43,600 42,900 12,800	0	11 11	342,689 (V) 424,303 (V)
									Annual	113,000	ı		1,000,472
				======================================		======							1,000,472
				==========	======	======	========	=======	:=======	=======================================			
	Other Participant: TaxVest Windfarms		TaxVest Windfarm 174	Micon 60/13	(H) 200	60 kw â	33 mpH	1 2 3 4	13,700 43,600 42,900 12,800) () (0 174 0 174 0 174 0 174	6,085,560 (V) 7,597,267 (V)
									Annual	113,000)		17,864,592
													17,864,592

Location/Operator/Project	Turbine Model		Rotor (M2)	Size (kw)	Quarte Annual	(kwh)		ines alled Cum.	Electricity Produced (kwh)	,
ALTAMONT PASS										-
(Alameda and Contra Costa)										
7. SEAWEST ENERGY GROUP (Con't.)										
G. Viking-83 Other Participant: Viking-Energy 83, Ltd.	Micon 60/13	(H)	200	60 kw a	33 mph 1 2 3 4	14,300 45,500 44,800 13,400	0 0 0 0	26 26 26 26	268,843 888,602 1,111,601 345,881	(V) (V) (V)
	=======================================	=====	======	=======================================	Annua				2,614,927	•
	Project Total	:							2,614,927	
8. TERA CORPORATION 2150 Shattuck Ave. Berkeley, CA 94704										=
A. Delta Energy Project	ESI 54	(H)	211	50 kw a	30 mph 1 2 3 4	42,400 63,600 63,600 42,400	0 0 0 0	58 58 58 58	0 21,391 3 2,151	(NV)
					Annual				53,542	
	ESI 54S	(H)	211	65 kw â	39 mph 1 2 3 4	46,400 69,600 69,600 46,400	0 0 0 0	88 87 88 88	198,081 955,354 1,155,527 388,923	(NV) (NV) (NV)
	==========		======		Annual	232,000			2,697,885	
	Project Total								2,751,427	

(Alameda and Contra Costa)

9. U.S. WINDPOWER 500 Sansome Street, Suite 600 San Francisco, CA 94111

A. Dyer Road

B. Frick

C. Midway Road

Turbine Model	Rotor Axis (M2)	Size (kw)	Quarter Annual	(kwh)	Turbines Installed	
USW 56-100	(н) 230	100 kw a	29 mph 1 2 3 4	21,000 81,900 86,100 21,000	59 30 0 0 30 0 155 45 74 53	2 22,285,200 (V) 7 36,825,600 (V)
			Annua	210,000		80,446,800
				=======================================		80,446,800
=========	=======================================		=======================================	=======================================	=========	#===========
USW 56-100	(H) 230	100 kw a	29 mph 1 2 3 4	21,000 81,900 86,100 21,000	0 4 0 4	3 1,231,200 (V) 3 3,894,240 (V) 3 4,396,800 (V) 3 1,788,988 (V)
			Annua	1 210.000		11,311,228
	•					11,311,228
USW 56-100	(H) 230	100 kw a	29 mph 1 2 3 4	21,000 81,900 86,100 21,000	96 1,22 12 1,24 0 1,24	28 21,362,536 (V) 40 80,570,922 (V) 40 93,211,222 (V)
			Annua	210,000	1	232,579,173
WEG MS-2	(н) 491	250 kw a	33 mph 1 2 3 4	62,454 256,065 237,329 68,700	0 0	20 1,252,391 (V) 20 4,034,209 (V) 20 4,030,310 (V) 20 1,750,583 (V)
			Annu	al 624,548		11,067,493

Location/Operat	o r/Proje	ct 	Turbine Model		Rotor (M2)	Size (kw)	Quarter; Annual	(kwh)	Turb Inst New	ines alled Cum.	Electricity Produced (kwh)	
ALTAMONT PASS												
(Alameda and Co	ntra Cos	ta)										
9. U.S. WINDPOWER	(Con't.)											
·	С.	Midway Road, Con't.	WEG MS-E	(H)	855	300 kw a	26 mph 1 2 3 4	0 0 336,000 84,000	0 0 1 0	0 0 1 1	0 (V 0 (V 16,667 (V 63,626 (V	() ()
							Annual	420,000			80,293	
			Project Total	:=====: : :=====:		=======================================			======	=====	243,726,959	
	D.	Ralph	usw 56-100	(H)	230	100 kw ଇ	29 mph 1 2 3 4	21,000 81,900 86,100 21,000	2 0 0 0	458 458 458 583	43,056,000 (N 12,792,000 (N	(V)
						ı	Annual	210,000			94,065,600	
			Project Total	:						,	94,065,600	
	Ε.	Vasco Road	usw 56-100		230	100 kw ฉ	29 mph 1 2 3 4	21,000 81,900 86,100 21,000	0 0 0 0	774 774 774	12,794,400 (V 41,601,600 (V 60,159,600 (V 20,318,400 (V	/) /)
							Annual	210,000		·	134,874,000	
			Project Total	:====: ::					:=====	=====	134,874,000	

	Location/Operator/R	Project	Turbine Model		Rotor (M2)	Size (kw)	A	uart er; nnual	Projected Quarterly Production Per Turbine (kwh)		ines alled Cum.	Electricity Produced (kwh)	-
	ALTAMONT PASS												
	(Alameda and Contra	a Costa)											
10.	WINDMASTER P.O. Box 669 Byron, CA 94514												
	:	A. Windmaster	HMZ 200kw	(H	373	200 kw a	33 mph	1 2 3 4	26,080 FAILED 117,791 0	0 10 0 0	139 FILE 139 139	3,101,305 15,591,293 14,805,838 6,437,793	(UD)*
								Annual	143,871			39,936,229	
			HMZ 250kw	(Н) 408	250 kw a	33 mph	1 2 3 4	40,000 FAILED 185,100 0	0 TO 0	20 FILE 20 20	2,899,165 0	(UD)* 5 (V) 0 (V)
								Annual	225,100			3,557,423	. -
			HMZ 300kw	(}	483	300 kw a	33 mph	1 2 3 4	48,000 FAILED 220,285 0	5 10 0 0	FILE 15	2,520,996	- (UD)* 6 (V) 0 (V)
								Annual	268,285			3,115,433	
			========= Project Tota		:=====	=========	=======	:======	=======================================	=====	======	46,609,085	5

^{*} Output for this "Failed To File" project is included only under the first listed turbine model of the first listed project.

Locat	ion/Operator/Project	Turbine Model	Axis	Rotor (M2)	Size (kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		oines called Cum.	Electricity Produced (kwh)
	ONT PASS									
	eda and Contra Costa)									
112 S	SYSTEMS, INC. buth Curry Street napi, CA 93561									
	A. Santa Clara	Vestas 17	(H)) 227	100 kw മ	45 mph 1 2 3 4 Annual	27,963 107,191 90,880 6,991 2 233,025	0 0 0	200 200	3,931,603 (NV) 12,245,013 (NV) 14,728,360 (NV) 5,711,992 (NV)
====		Project Total	:		=======================================			=====	.=====	36,616,968

BOULEVARD (San Diego) 12. BUCKEYE INTERNATIONAL 1455 Frazee Rd. Suite 300 San Diego, CA 92108 A. California Wind Energy, Ltd. Micon 22 (H) 78 22 km a 37 mph 1 12,100 0 30 14 Other Participant: 2 11,000 0 30 10 Seawest Energy 4 8,300 0 30 6 Annual 37,200 33 Project Total: 3 7,200 33 Annual 37,200 33 RICHARD T. IMMEL WIND FARM 3911 Via del Campo San Clemente, CA 92672 A. Immel Wind Farm Enertech 44/25 (H) 137 25 km a 30 mph 1 0 0 6 6 3 0 0 6 6 4 0 0 6 6 6 4 0 0 6 6 6 6 6 7 0 0 6 6 6 7 0 0 6 6 6 7 0 0 0 6 7 0 0 6 7 0 0 6 7 0 0 0 0		Location/Operator/Projec	t	Turbine Model		Rotor (M2)	(k	ze w)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		oines talled Cum.	Electricity Produced (kwh)
(San Diego) 12. BUCKEYE INTERNATIONAL 1455 Frazee Rd. Suite 300 San Diego, CA 92108 A. California Wind Energy, Ltd. Micon 22 (H) 78 22 kw a 37 mph 1 12,100 0 30 14 Other Participant: 2 11,000 0 30 14 Seawest Energy 4 8,300 0 30 6 Annual 37,200 33 Project Total: 37,200 33 Annual 37,200 33 Annual 37,200 33 Annual 37,200 6			-										
12. BUCKEYE INTERNATIONAL 1455 Frazee Rd. Suite 300 San Diego, CA 92108 A. California Wind Energy, Ltd. Micon 22 (H) 78 22 km a 37 mph 1 12,100 0 30 14 Other Participant: Seawest Energy 4 8,300 0 30 4 Rannual 37,200 3 Project Total: 3 Sylvia del Campo San Clemente, CA 92672 A. Immel Wind Farm Enertech 44/25 (H) 137 25 km a 30 mph 1 0 0 6 4 0 0 6 4 0 0 6													
1455 Frazee Rd. Suite 300 San Diego, CA 92108 A. California Wind Energy, Ltd. Micon 22 (H) 78 22 kw a 37 mph 1 12,100 0 30 14 Other Participant: 2 11,000 0 30 16 Seawest Energy: 4 8,300 0 30 8 Annual 37,200 3 Project Total: 3 Project Total: 3 Annual 37,200 3 Project Total: 3 Annual 37,200 6													
A. California Wind Energy, Ltd. Mich 22 (H) 78 22 11,000 0 30 10 30 10 30 5,800 0 30 6 4 8,300 0 30 6 6 4 0 0 0 6 4 0 0 0 6 4 0 0 0 6 4 0 0 0 6 4 0 0 0 6 4 0 0 0 6 4 0 0 0 6 4 0 0 0 6 6 4 0 0 0 6 6 4 0 0 0 6 6 4 0 0 0 6 6 4 0 0 0 6 6 4 0 0 0 6 6 4 0 0 0 6 6 4 0 0 0 6 6 4 0 0 0 6 6 4 0 0 0 6 6 4 0 0 0 6 6 4 0 0 0 6 6 6 6	12.	1455 Frazee Rd. Suite 300											
Other Participant: Seawest Energy 3 5,800 0 30 4 8,8300 0 30 8 Annual 37,200 3 Project Total: 3 1,800 0 30 4 8,8300 0 30 8 Annual 37,200 3 Project Total: 3 2 3 5,800 0 30 8 8,83		Α.	California Wind Energy, Ltd.	Micon 22	(H) 78	22	<พ. อ. 37	mph 1				
Annual 37,200 3 Project Total: 3 3911 Via del Campo San Clemente, CA 92672 A. Immel Wind Farm Enertech 44/25 (H) 137 25 kw a 30 mph 1 0 0 6 3 0 0 6 3 0 0 6 4 0 0 6 6 4 0 0 6 6 4 0 0 6 6 6 4 0 0 6 6 6 6									3	5,800	0	30	42,332 (V)
Project Total: 33 3311 Via del Campo San Clemente, CA 92672 A. Immel Wind Farm Enertech 44/25 (H) 137 25 kw a 30 mph 1 0 0 6 2 0 0 6 3 0 0 6 4 0 0 6 4 0 0 6 Annual 0 1		Seawest Energy							4		0	30	87,456 (V)
Project Total: 3 313. RICHARD T. IMMEL WIND FARM 3911 Via del Campo San Clemente, CA 92672 A. Immel Wind Farm Enertech 44/25 (H) 137 25 kw @ 30 mph 1 0 0 6 2 0 0 6 3 0 0 6 4 0 0 6 4 0 0 6 Annual 0 1									Annual	37,200			375,284
3911 Via del Campo San Clemente, CA 92672 A. Immel Wind Farm Enertech 44/25 (H) 137 25 kw @ 30 mph 1 0 0 6 2 0 0 6 3 0 0 6 4 0 0 6					===== l:	======				:======================================		======	375,284 =======
=======================================	13.	3911 Via del Campo San Clemente, CA 92672					25	kw a 30	2 3 4	0	() 6	37,050 (V) 17,320 (V) 32,350 (V) 124,805
Project Total:													124,805

Location/Ope	rator/Project	Turbine Model	Axis	Rotor (M2)	(ize kw)	Quart Annu		rly ion bine		ines alled Cum.	Electricity Produced (kwh)
CARQUINEZ ST	RAIT											
(Solano, Con	tra Costa)											
14. WIND GENERAT 7 Wolfback R Sausalito, C	idge Road											
	A. Wind Generator Parks, Inc.	Carter 250	(H)	332	250	kw a	42 mph 1 2 3 4	175 175 75	,000 ,000 ,000 ,000	0 0 0 0	1 1 1	0 (V) 82,200 (V) 214,200 (V) 23,400 (V)
							Annu		,000			319,800
		Project Total	:====: :		======	====					=====	319,800

	Location/Operator/Project	Turbine Model		Rotor		Size (kw)	ı	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		oines called Cum.	Electricity Produced (kwh)
	PACHECO PASS											
	(Merced)											
15.	ENERGY 21 18 Eastwood Court Oakland, CA 94611											
	A. Energy 21	Carter	(H) 7	7	25 kw 6	30 mph	1 2 3 4	0 0 0 0	0 0 0 0	20 20	47,400 (V) 120,000 (V) 61,800 (V) 0 (V)
	·							Annual	0			229,200
		Project Tota	:===== :: :					=======================================	=======================================		=====	229,200

	Location/Operator/P	roject	i.	Turbi Model			Rotor (M2)		Size (kw)		Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		oines talled Cum.	Electricity Produced (kwh)	
	SALINAS VALLEY															
	(Monterey)															
16.	. CASAS DEL SOL P.O. Box 89 Pacific Grove, CA	93950														
		Α.	Herbert Ranch #1	Enertech	44/40	(H)	141	40	k⊮ a	30 mph	1 2 3 4 Annual	10,780 26,250 23,170 9,800 	0 0 0			(V) (V) (UD)
	=======================================			 Project 1	rotal:	:====:	====== ===============================	======	======	=======			=====		44,500	:=) :=

	Location/Operator/Project	Turbine Model		Rotor (M2)	Size (kw)	A	uart er; nnual	Projected Quarterly Production Per Turbine (kwh)	Turb Insta		Electricity Produced (kwh)
						-					
	SAN GORGONIO PASS										
	(Riverside)										
17.	AMERICAN POWER SYSTEMS, INC. 26 Linda Isle Newport Beach, CA 92660										
	A. Jacoby - Kerr Wind P	rk Jacobs 26-17	.5 Მ(ዘ) 49	18 kw a	27 mph	1	8,037	0	16	63,200 (V) 193,632 (V)
	Other Participant:						2 3	12,100 12,100	0	16 16	181,311 (V)
	CCC Alternative						4	8,037	0	16	110,490 (V)
	Energy Ventures :						Annual	40,274			548,633
		Jacobs 26-17	'.5 a(H) 49	18 kw 6) 27 mph	1 2 3	7,182 11,100 11,100	0 0 0	134 134 134	339,800 (V) 1,480,200 (V) 1,326,940 (V)
							4	7,182	0	134	825,440 (V)
							Annual	36,564			3,972,380
					20 1	37	4	9,662	0	54	262,600 (V)
		Jacobs 29-2) (H	1) 61	ZU KW d	a 27 mph	2	14,300	0	54	762,762 (V)
							3	14,300	0		691,419 (V)
							4	9,662		54	429,660 (V)
							Annual	47,924			2,146,441
			=====	=======		=======	=======		=====		6,667,454
		Project Tot	al: ======	=======	========	=======	======	==========	=====	=====	=======================================

Location/Operator/Projec	t -	Turbine Roti Model Axis (M	2) (kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)	Turbine Install New Cu	ed Produced	
SAN GORGONIO PASS								
(Riverside)								
B. ENERGY DEVELOPMENT AND CO 745 5th Ave. Suite 405 New York, NY 10151	ONSTRUCTION CO.							
Α.	Karen Avenue Wind Farm	FAILED TO FILE FAILED TO FILE		1 2			174,000 228,000	
		FAILED TO FILE FAILED TO FILE		3			48,000 12,000	(UD)
				Annual			462,000	
		Project Total:					462,000	
P. ENERGY UNLIMITED, INC. 1 Aldwyn Center								
Villanova, PA 19085 A.	Mountain Pass '85 Ltd.	Bonus 65/13 kw (H) 18	81 65 kพ. อ	40 mph 1 2 3 4	20,500 72,000 43,000 24,500	0 .	66 1,056,000 66 2,968,000 66 1,616,000 66 1,472,000	(V) (V)
Villanova, PA 19085	Mountain Pass '85 Ltd.	Bonus 65/13 kw (H) 18		, 2 3 4 Annual	72,000 43,000 24,500 160,000	0 .	66 2,968,000 66 1,616,000 66 1,472,000 7,112,000	(V) (V) (V)
Villanova, PA 19085 A.		======================================		2 3 4 Annual	72,000 43,000 24,500 160,000	0 .	66 2,968,000 66 1,616,000 66 1,472,000 	(V) (V) (V)
Villanova, PA 19085 A.		======================================		2 3 4 Annual	72,000 43,000 24,500 160,000	0 .	66 2,968,000 66 1,616,000 66 1,472,000 	(V) (V) (V)
Villanova, PA 19085 A. O. O.E.S.C. P.O. Box 913 North Palm Springs, CA 9		======================================		2 3 4 Annual	72,000 43,000 24,500 160,000	0 0 0	66 2,968,000 66 1,616,000 66 1,472,000 	(V) (V) (V) = = (NV) (NV) (NV)
Villanova, PA 19085 A. A. O. O.E.S.C. P.O. Box 913 North Palm Springs, CA 96 A. Other Participant:		======================================	=======================================	2 3 4 Annual	72,000 43,000 24,500 160,000 24,300 56,100 38,200	0 0 0	66 2,968,000 66 1,616,000 66 1,472,000 	(V) (V) (V) = = (NV) (NV) (NV)

Location/Operator/Project	Turbine Model	Axis	Roto (M2)	(ize kw)		Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		ines alled Cum.	Electricity Produced (kwh)
SAN GORGONIO PASS												
(Riverside)												
21. RENEWABLE ENERGY VENTURES P.O. Box 742 North Palm Spring, CA 92258												
A. REV Wind Power Partners	ESI 54-S	(H)) 21	16	80	k⊮ a	40 mp	h 1 2 3 4	38,200 81,100 63,500 28,300	0 0 0	168 168 168 168	3,035,471 (V)
·								Annual	211,100			15,675,503
	Jacobs 26-17.	5 (H) (49	18	kw a	27 mg mg mg	oh 2 oh 3	9,500 19,800 15,600 7,200	0	208	2,047,596 (V) 1,734,132 (V) 1,126,129 (V)
								Annual	52,100			5,629,297
	========= Project Total											21,304,800
22. SAN GORGONIO FARMS 21515 Hawthorne Blvd., Suite 1059 Torrance, CA 90503 A. San Gorgonio Farms Wind Park	Bonus 100 kw		1) 2				28 m	ph 1 2 3	62,400 146,520 141,160) (i) 55) 55) 55	5 2,730,450 (V) 5 7,420,150 (V) 5 5,327,540 (V)
								4 Annual	49 ,92 0 400 ,00 0) 55	19,089,050
								Annuat		, .		
	Bonus 120 kw	(1	H) 1	127	120	kw a) 40 r	nph 1 2 3 4	68,640 161,172 155,276 54,912	2	0	1 46,547 (V) 1 149,103 (V) 1 132,670 (V) 1 37,184 (V)
								Annuat	440,000			365,504

Lo.	cation/Operator/Pr	rojec	t	Turbine Model	Axis	Rotor (M2)		Size (kw)		Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		ines alled Cum.	Electricity Produced (kwh)
	N GORGONIO PASS													
	iverside)													
22. SA	N GORGONIO FARMS ((Con'	t.)											
		Α.	San Gorgonio Farms Wind Park, Con't.	Bonus 65 kw	(H)	181	65	kw a	33 mpt	1 2 3 4	43,680 102,564 98,812 34,944	0 0 0 0	81 81 81	2,139,261 (V) 6,004,472 (V) 4,648,220 (V) 2,890,489 (V)
									·	Annual	280,000			15,682,442
				Carter 25 kw	(H)	75	25	kw a	26 mph	1 2 3 4	12,480 29,304 28,232 9,984	0 0 0	15 15 15 15	8,494 (V) 117,767 (V) 143,346 (V) 66,725 (V)
										Annual	80,000			336,332
				Floda	(H)	1,018	500	kw a	31 mph	1 2 3 4	512,820 494,060 174,720	0 3 0 0	. 3 3 3	0 (V) 896,640 (V) 781,080 (V) 380,760 (V)
										Annual	1,181,600			2,058,480
				Micon 65 kw	(H)	200	65	kw a	33 mph	1 2 3 4	43,680 102,564 98,812 34,944	0 0 0 0	50 50 50 50	1,190,585 (V) 2,736,907 (V) 2,008,321 (V) 1,524,797 (V)
				=======================================	=====		======	=====		Annual	280,000		======	7 460 610
==:	=======================================	====		Project Total		~	~====							44,992,418

	Location/Operator/Project	Turbine Model A	xis	Rotor (M2)	Size (kw)	Quart er Annual	(kwh)	Turbi Insta New	lled Cum.	Electricity Produced (kwh)
	SAN GORGONIO PASS									
	(Riverside)									
23.	SANDBERG WIND CORPORATION 31324 Via Colinas Suite 114 Westlake Village, CA 91362									
	A. Ventus Wind Park (SWC III)	FAILED TO FILE FAILED TO FILE FAILED TO FILE FAILED TO FILE				1 2 3 4				2,016,000 (UD) 8,826,000 (UD) 9,168,000 (UD) 11,394,000 (UD)
						Annua				31,404,000
		======================================							=====	31,404,000
24.	SEAWEST ENERGY GROUP 1455 Frazee Road Suite 300 San Diego, CA 92108 A. Altech III/Difwind Partners	Micon 100/US		3) 293		30 mph 1 2 3 4	53,50(160,20(108,90(41,40(14 364,00	0 0	364 364 364	0 (V) 2,4 54,5 08 (V)
		Micon 110/US	(1	н) 293	108 kw a	30 mph 1 2 3 4 Annu	53,70 132,50 85,20 44,20	0 0 0 0 0 0	20 20 20 20	1,197,530 (V) 1,059,600 (V)

Location/Operator/P			Turbine Model	R Axis		Size (kw)		Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)	Inst	ines alled Cum.	Electricity Produced (kwh)	-
SAN GORGONIO PASS													
(Riverside)													
24. SEAWEST ENERGY GROUI	P (Co	on't.)											
	Α.	Altech III/Difwind Partners, Con't.	Micon 60	(H)	200	60 kw ଇ	30 mph	1 2 3 4	32,200 79,900 52,700 22,200	0 0 0 0	92 92 92 92	1,325,070 3,866,470 2,622,564 1,384,060	(V) (V)
			,					Annual	187,000			9,198,164	
			Project Total	•								18,994,642	
	в.	Difwind V	Micon 110	(日)	293	108 kw อ	30 mph	1 2 3 4	50,800 125,600 80,700 41,900	0 0 0	73 73 73 73	1,752,000 3,750,000 3,138,000 2,616,000	(V) (V)
								Annual	299,000			11,256,000	
			Project Total	:								11,256,000	
Other Participant: Phoenix Energy, Ltd	c.	Phoenix Energy Associates/ Difwind V	Enertech 44/4	0 (н)	141	40 kw Ձ	30 mph	1 2 3 4	27,283 59,388 42,998 17,331	0 0 0 0	90 90 90 90	1,354,230 4,038,760 3,432,270 1,860,000	(V) (V)
•								Annual	147,000			10,685,260	
			Micon 110/US	(H)	293	110 kw อิ	33 mph	1 2 3 4	57,800 142,800 91,800 47,600	0 0 0 0	16 16 16 16	559,770 1,247,240 962,910 862,610	(V) (V) (V)
								Annuat	340,000			3,632,530	-

	perator/Projec			Axis		Size (kw)	į.	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		oines called Cum.	Electricity Produced (kwh)
SAN GORGONI												
(Riverside)												
24. SEAWEST ENE	ERGY GROUP (Co	on't.)										
	С.	Phoenix Energy Associates/ Difwind Partners, Con't.	Micon 60/13	(H)	200	60 kw â	33 mph	1 2 3 4	41,574 90,496 65,520 26,410	0 0 0 0	130 130	0 (V) 0 (V) 161,820 (V) 1,237,390 (V)
	•							Annual	224,000			1,399,210
			========== Project Total -====================================	_								15,717,000
Orange, CA	Α.	Palm Springs Wind Park	Starwind	(ዘ)	0	125 kw a	0 mph	1 2 3 4 Annual	0 0 0 0 	0	5 1 5	61,092 (V) 9,114 (V)
			Wenco	(H)) 0	200 kw a) 0 mph	1 2 3 4	0 0 0 0	(0 (V) 0 (V)
								Annual				8,730
			Windmatic 158	S (H) 184	65 kw 6	32 mp	h 1 2 3 4	25,510 52,688 43,139 18,718	} }	0 64 0 64 0 64 0 64	3,289,206 (V) 4 2,011,558 (V)
								Annual				7,539,964

	Location/Operator/Project		Turbine Model A		Rotor (M2)		Size (kw)		Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)	Inst	oines alled Cum.	Electricity Produced (kwh)
	SAN GORGONIO PASS												
	(Riverside)												
26.	TRIAD AMERICAN ENERGY 2212 Dupont Dr. Suite A Irvine, CA 92715												
	Α.	Triad IV - VII	ESI 80	(H)	476	250	k⊮ a	40 mph	1 2 3 4	O FAILED FAILED FAILED	0 TO TO	36 FILE FILE FILE	0 (V) 2,520,000 (UD)* 3,324,000 (UD)* 2,172,000 (UD)*
			*********						Annual	0			8,016,000
			Vanguard 20/95	(H)	226	95	kw a	40 mph	1 2 3 4	O FAILED FAILED FAILED	0 TO TO TO	60 FILE FILE FILE	780,000 (V) - * - *
									Annual	0			780,000
			======================================									•	8,796,000
27.	WESTERN WINDFARMS 2352 Research Drive Livermore, CA 94559												
	Α.	Dillon Devers	Micon 108	(H)	293	108	kw a	33 mph	1 2 3 4	47,940 124,080 64,860 45,120	0 0 0 0	4 4 4 4	41,865 (NV) 206,931 (NV) 183,913 (NV) 163,773 (NV)
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						Annual	282,000			596,482

^{*} Output for this "Failed To File" project is included only under the first listed turbing model of the first listed project.

Location/Operator/Project	Turbine Model	Axis	Rotor (M2)	Size (kw)	A	uarter; nnual	Projected Quarterly Production Per Turbine (kwh)		oines alled Cum.	Electricity Produced (kwh)
SAN GORGONIO PASS										
(Riverside)										
WESTERN WINDFARMS (Con't.)										
A. Dillon Devers, Con't.	Micon 65	(H)	200	65 kw a	30 mph	1 2 3 4	30,600 82,800 39,600 27,000	0 0 0 0	15	329,279 (N' 669,743 (N' 425,305 (N' 437,810 (N'
;						Annual	180,000			1,862,137
	Wincon 108	(H) 293	108 kw ฉิ	33 mph	1 2 3 4	47,940 124,080 64,860 45,120	0 0 0 0	18 18	
						Annual	282,000			2,834,105
	Duritors Take	. 1 .								5,292,724
. WINDUSTRIES P.O. Box 913 North Palm Spring, CA 92258										
A. Windustries I	Enertech 44,	/40 (H	141	40 kw ର	30 mph	1 2 3 4	23,500 58,700 45,500 20,300	((96 96 96 96	3,865,300 (2,880,400 (
	,					Annual	148,000			9,766,705
	Enertech 44	/60 (1	180	60 kw ଗ	35 mpH	1 2 3 4	28,900 78,800 58,400 24,600)))	0 48 0 48 0 48 0 48	3 1,783,700 (° 3 1,968,000 (
						Annual	190,700)		4,673,592
	=========	=====	======		======	======	=======================================	=====	=====	14,440,297

	Location/Operator/Project	Turbine Model	Axis	Rotor (M2)	Sizi (kw)	Α	uarter; nnual	Projected Quarterly Production Per Turbine (kwh)	Turbi Insta New		Electricity Produced (kwh)	-
	SAN GORGONIO PASS												
	(Riverside)												
29.	WINTEC, LTD. P.O. Box 457 North Palm Spring, CA 92258												
	A. Wintec Cahuilla Windpark	Nordtank 60/13	(H)	201	60 kw i	a	34 mph	1 2 3 4	45,326 84,871 65,071 14,732	24 0 0 0	72 72 72 72	1,100,755 5,532,466 3,338,022 2,012,716	(V) (V)
								Annual	210,000			11,983,959	
		Project Total:			:=======							11,983,959	
	B. Wintec I Annex	Micon 108	(#)	293	108 kw	a	33 mph	1 2 3 4	50,893 112,031 91,002 7,450	0 0 0 0	7 7 7 7	76,259 463,660 314,606 244,847	(NV) (NV) (NV)
							. 	Annual	261,376			1,099,372	
		Micon 60/13	(H)	200	65 kw	ı a	33 mph	1 2 3 4	38,170 84,023 68,252 19,555	0 0 0	31 31 31 31	633,734 1,693,184 1,061,539 830,951	(NV) (VV) (VV)
								Annual	210,000		•	4,219,408	i -
		. Nordtank 601	(H)	201	60 kw	a	34 mph	1 2 3 4	0 0 0 19,555	0 0 0 13	0 0 0 13	0	
		********						Annual	19,555			207,134	+
		Project Total										5,525,914	+

	Location/Operator/Project		Turbine Model	Ro Axis ((ize kw)	A	uarter; nnual	Projected Quarterly Production Per Turbine (kwh)		ines alled Cum.	Electricity Produced (kwh)
	SAN GORGONIO PASS												
	(Riverside)												
29.	WINTEC, LTD. (Con/t.)												
		Wintec I Windpark	Carter 25 kw	(H)	75	25	kw a	26 mph	1 2 3 4	17,267 32, 33 2 24,789 5,612	0 0 0 0	177 185 185 185	282,740 (V) 1,430,021 (V) 796,477 (V) 821,515 (V)
	:								Annual	80,000		 .	3,330,753
			Micon 65/13 k	w (H)	200	65	kw a	33 mph	1 2 3 4	45,326 84,871 65,071 14,732	0 0 0 0	23	504,032 (V) 1,645,549 (V) 850,522 (V) 636,525 (V)
									Annual				3,636,628
			Project Total	l:	=====	=====							6,967, 3 81
	D.	Wintec II Whitewater Windpark	Jacobs 20	(H)	50	20		27 mph		8,634 16,166 12,394 2,806	0 0 0 0	41 41 41	260,220 (NV) 450,387 (NV) 256,447 (NV)
									Annual	40,000			1,111,691
			Nordtank 60	(H)	201	65	kw a	34 mph	1 2 3 4	45,326 84,871 65,071 14,732	((!	63	1,426,486 (NV) 4,152,134 (NV) 2,415,953 (NV)
									Annual	210.000)		10,047,136
				i .									11,158,827

Location/Operator/Proje		Turbine Model	Axis		Size (kw)		Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		oines alled Cum.	Electricity Produced (kwh)	
SAN GORGONIO PASS												
(Riverside)												
29. WINTEC, LTD. (Con't.)												
Ε.	Wintec III Riverview Windpark	Jacobs 20	(H)	50	20 kw Ձ	27 mph	1 2 3 4	8,634 16,166 12,394 2,806	0 0 0 0	177 177 177 177	931,200 (2,503,200 (1,459,200 (1,046,400 (NV) NV)
				======			Annual	40,000			5,940,000	
		Project Tota	l:								5,940,000	
F.	Wintec Palm Windpark	Micon 65	(H)	200	65 kw a	33 mph	1 2 3 4	45,326 84,871 65,071 14,732	0 0 0 0	30 30 30 30	616,452 (2,009,605 (1,233,118 (837,944 ((V) (V)
			·				Annual	210,000			4,697,119	
		Micon 60	(H)	201	65 kw ฉิ	34 mph	1 2 3 4	45,326 84,871 65,071 14,732	0 0 0 0	· 4 4 4 4	41,621 (210,053 (180,860 (89,488 ((V) (V)
							Annual	210,000			522,022	
=======================================	4486444	Project Tota	l:							-	5 219 141	
30. ZOND SYSTEMS 112 South Curry Tehachapi, CA 93561												
Α.	Painted Hills	Vestas 15	(H)	184	65 kw â	35 mph	1 2 3 4	45,487 82,473 51,226 33,372	0 0 0	61 61 61	1,143,795 (3,127,629 (2,002,469 (1,478,364 ((NV) (NV)
							Annual	212,558			7,752,257	

Location/Operator/Project		Turbine Model	Rotor Axis (M2)	Size (kw)	Quart Annua	•	Turb Inst New	ines alled Cum.	Electricity Produced (kwh)
SAN GORGONIO PASS									
(Riverside)									
ZOND SYSTEMS (Con't.)									
	ted Hills, Con't.	Vestas 17	(H) 227	100 kw a		53,547 2 97,084 3 60,302 4 39,284	0 0 0	170 170 170 170	3,815,964 (NV 12,081,543 (NV 7,602,927 (NV 5,554,252 (NV
;					An	nual 250 ,21 7			29,054,686
		Project Tota	======================================		=======================================	=======================================			36,806,943
B. Zond Other Participant: PanAero Corporation	I-PanAero Windsystem Partners	vestas 15	(н) 184	=====================================	3 5 mph	1 24,201 2 121,005 3 79,225 4 20,469	0 0	160 160 160	2,888,861 (NV 7,953,159 (NV 5,329,043 (NV
, and a second					Anr				20,455,182
		Vestas 15	(H) 184	65 kw a	35 mph	1 24,62: 2 123,13 3 80,61: 4 20,82	0 5 0 8 0	300 300	12,613,195 (N) 7,932,349 (N) 6,704,142 (N)
					Anr	nual 249 ,20			32,666,301
		======== Project Tot	========= al•	========	=======================================		======	=====	53,121,483

Location/Operator/R	Projec	.t -	Turbine Model	Axis	Rotor (M2)	Size (kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		ines alled Cum.	Electricity Produced (kwh)
TEHACHAPI PASS											
(Kern)											
ARBUTUS 2691 Richer Ave., a Irvine, CA 92714	¥114										
	Α.	Pajuela Peak Wind Park	Bonus 65	(H	181	65 kw â 45 m.p.	h 1 2 3 4	40,500 60,750 45,600 55,650	0 0 0	231 231 231 231	5,725,246 (V) 8,623,398 (V) 5,178,735 (V) 5,960,000 (V)
			*********				Annual	202,500			25,487,379
			Windane 12	(н) 144	40 kw a 30 mp	h 1 2 3 4	24,528 36,792 27,594 33,726	0 0 0 0	14 14 14 14	135,190 (V) 157,840 (V) 69,966 (V) 139,000 (V)
							Annual	122,640			501,996
			Windtech 75	(H	250	75 kw a 35 mp	h 1 2 3 4	44,700 67,050 50,288 61,462	0 0 0 0	88 88 88 90	79,564 (V) 170,762 (V) 31,299 (V) 68,500 (V)
			===========	====	======		Annual	223,500			350,125
			Project Total	:							26,339,500

Location/Operator/Project

TEHACHAPI PASS
(Kern)

32. CANNON FINANCIAL GROUP 6920 Miramar Rd., Suite 304 San Diego, CA 92121

A. Cameron Ridge Windpark

Turbine Model	Rotor Axis (M2)	Size (kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		ines alled Cum.	Electricity Produced (kwh)
Bouma 200	(н) 314	՝ 1315 kw a 40 mp	h 1 2 3 4	0 0 0 0	0 0 0 0	35 36 35 36	58,180 (V) 295,412 (V) 128,908 (V) 85,440 (V)
			Annual	450,000			567,940
Century 6000	(н) 117	75 kw a 30 mg	oh 1 2 3 4	0 0 0 0	0 0 0 0	5 5 5 5	0 (V) 0 (V) 0 (V) 0 (V)
			Annual	220,000			0
Century 9000	(H) 117	100 kw a 37 m	oh 1 2 3 4	0 0 0 0	0 0 0 0	44	113,598 (V) 154,941 (V) 563,963 (V)
			Annual	266,000			1,350,903
Micon 108	(н) 293	108 kw a 28 m	ph 1 2 3 4	0 0 0 0	0	2	2 180,090 (V) 2 82,464 (V) 3 229,342 (V)
			Annual	(1		581,972

Location/Operator/Project	Turbine Model	Axis	Rotor (M2)		Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		ines alled Cum.	Electricity Produced (kwh)
TEHACHAPI PASS									
(Kern)									
32. CANNON FINANCIAL GROUP (Con't.)									
A. Cameron Ridge Windpark, Con't.	Micon 250	(H)	452	250 kw a 33 mpt	2 3	0 0 0	0 0 1	0 0 1	0 (V) 0 (V) 24,124 (V)
					4 Annual	220,000	0	1	0 (V) 24,124
	Nordtank 150	(H)	330	150 kw a 42 mpł	1 2 3 4	0 0 0	0 0 0	102 102 102 102	953,887 (V) 4,332,311 (V) 136,897 (V) 6,271,526 (V)
					Annual	520,000			11,694,621
	Nordtank 65/	136 (H)	201	65 kw a 35 mpł	1 2 3 4	0 0 0	0 0 0 0	50 50 50 50	2,209,188 (V) 3,116,633 (V) 861,663 (V) 1,184,031 (V)
					Annual	190,000			7,371,515
	Nordtank 90/	16.6(Н)	216	75 kw a 42 mpt	1 2 3 4	0 0 0 0	0 0 0 0	340 340 340 340	4,537,332 (V) 11,006,491 (V) 8,205,880 (V) 10,549,810 (V)
					Annual	276,000			34,299,513
	Project Tota	t:		=======================================					55,890,588

Location/Operator/Project	Turbine Model	Axis	Rotor (M2)	Size (kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		ines alled Cum.	Electricity Produced (kwh)
TEHACHAPI PASS									
(Kern)									
32. CANNON FINANCIAL +GROUP (Con't.)									
B. Cannon Phase V	Micon 108	(H)	293	108 kw a 28 mp	1 2 3 4	0 0 0 0	0 0 0	138 138 138 138	8,666,330 (V) 7,192,083 (V) 6,581,408 (V) 7,576,694 (V)
					Annual	276,000			30,016,515
	Daniant Tata			=======================================					30,016,515
Suite B Anaheim, CA 92686 A. Coram Energy Group Other Participant: Energy Conversion Technology, Inc.	Aeroman 12.	5 Ser(H) 123	40 kw a 27 mp	h 1 2 3 4	0 0 0 0	0	27 27	660,578 (V) 414,078 (V)
					Annual	160,000			1,913,546
	======== Project Tot =======	al:							1,913,340
B. Coram TaxVest Windfarms Other Participant: Energy Conversion Technology, Inc.	Aeroman 12.	5 Ser(⊦	1) 123	40 kw a 27 mp	oh 1 2 3 4	0 0 0) (100 100	2,237, 331 (V) 1,232,902 (V)
					Annual	160,000)		6,262,388
	Duntanh Tah	-1.		=======================================					0,202,300

	Location/Operator/Project	Turbine R Model Axis		(kw) /	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)	Turbi Insta New		Electricity Produced (kwh)	_
	TEHACHAPI PASS									
	(Kern)									
33.	CORAM ENERGY GROUP (Con't.)									
	C. Coram TaxVest Windfarms Other Participant: Energy Conversion Technology, Inc.	Aeroman 12.5 Ser(H)	123	40 kw a 27 mph	1 2 3 4	0 0 0 0	0 0 0 0	47 47 47 47	667,407 969,468 490,463 642,141	(V) (V) (V)
					Annual	160,000			2,769,479	
		======================================							2,769,479	
	D. Coram TaxVest Windfarms Other Participant: Energy Conversion Technology, Inc.	Aeroman 12.5 ser(H)		40 kw â 27 mph	1 2 3 4	0 0 0 0	0 0 0	109 109 109 109	1,413,150 2,143,486 1,188,484 1,424,017	(V) (V) (V)
					Annual	160,000			6,169,137	
	=======================================	======================================							6,169,137	
34.	DOLLAR ENERGY SYSTEMS CORP. 1920 Estela Dr. El Cajon, CA 92020							=====	=========	=
	A. The Mariah Wind Park	Storm Master (H)	113	40 kw â 35 mph	1 2 3 4	10,000 25,000 27,000 18,000	0 0 0 0	17 17 17 17	72,999 125,538 68,707 282,600	(\AN) (\AN)
					Annual	80,000			549,844	

Location/Operator/Projec			Rotor Axis (M2)	Size (kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kWh)			Electricity Produced (kwh)
TEHACHAPI PASS	-								
(Kern)									
. DOLLAR ENERGY SYSTEMS CO	DRP. (Con't.)								
A.	The Mariah Wind Park, Con't.	Storm Master	(Н) 113	60 kw a 45 mpt	1 2 3 4	10,000 25,000 27,000 18,000	0 0 0 0	59 59 59 59	296,801 (NV) 524,662 (NV) 213,893 (NV) 0 (NV)
;					Annual	80.000			1,035,356
				=======================================					1,383,200
		:======================================	=======================================						
ENERGY UNLIMITED, INC. 1 Aldwyn Center Villanova, PA 19085 A.		Carter 25kw	(H) 75	25 kw a 25 mp	h 1 2 3 4	16,472 23,320 12,464 16,472	0 0 0 0	25 25 25 25	0 (V) 182,043 (V) 98,078 (V) 170,579 (V)
. ENERGY UNLIMITED, INC. 1 Aldwyn Center Villanova, PA 19085	Windy Flats '82 and Mountain Flats '83	Carter 25kw 	(H) 75 	25 kw a 25 mp	h 1 2 3 4 Annual	16,472 23,320 12,464 16,472 68,728	0 0 0 0	25 25 25 25	0 (V) 182,043 (V) 98,078 (V) 170,579 (V) 450,700
. ENERGY UNLIMITED, INC. 1 Aldwyn Center Villanova, PA 19085	Windy Flats '82 and Mountain Flats '83	Carter 25kw 	(H) 75 	25 kw a 25 mp	h 1 2 3 4 Annual	16,472 23,320 12,464 16,472 68,728	0 0 0 0 ==============================	25 25 25 25	0 (V) 182,043 (V) 98,078 (V) 170,579 (V) 450,700 ==================================

Location/Operator/Project	Turbine Model	Rotor Axis (M2)	Size (kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		ines alled Cum.	Electricity Produced (kwh)
TEHACHAPI PASS								
(Kern)								
36. FLOWIND CORPORATION (Con't.)								
A. FloWind Cameron Ridge, Con't.	Flowind 19	(V) 340	250 kw a 38 mph	1 2 3 4	115,641 182,951 90,982 103,621	0 0 0	122 122 122 122	4,439,022 (V) 7,691,666 (V) 3,851,368 (V) 3,533,666 (V)
				Annual	493,195			19,515,722
	Flowind 25	(V) 515	381 kw a 44 mph	1 2 3 4	0 0 0	0 0 0 0	2 2 2 2	137,357 (V) 48,640 (V) 0 (V) 0 (V)
	*****			Annual	0			185,997
	Sumitomo H22	(H) 363	200 kw. a. 310 m,p∤	1 2 3 4	0 0 0 0	0 0 0 0	1 1 1 11	81,568 (V) 108,238 (V) 88,760 (V) 54,064 (V)
				Annual	0			332,630
	Project Total	l:						46,438,598
B. FloWind IV	Flowind 19	(V) 340	250 kw ଇ 38 mph		94,005 165,917 84,944 84,562	0 0 0 0	58 58 58 58	3,175,919 (NV) 2,713,338 (NV) 1,437,303 (NV) 1,126,175 (NV)
		·		Annual	429,428			8,452,735
=======================================	Project Total	l :						8,452,735

Location/Operator/Projec		Turbine Model A	Rotor Axis (M2)	Size (kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)	Turbines Installe	d Produced
TEHACHAPI PASS								
(Kern)								
LIBERTY WINDFARMS 3501 Bernard #11C Bakersfield, CA 93306								242 574 (40)
A. :	Liberty Wind Park	Blue Max 50	(H) 97	40 kw a 34 mp	sh 1 2 3 4	11,300 32,800 21,124 9,276	0 0	30 212,536 (NV) 30 385,859 (NV) 30 278,232 (NV) 30 267,456 (NV)
					Annual	74,500		1,144,083
======================================		======== Project Total: =========						1,144,083
NATURAL RESOURCE VENTUR 23241 Ventura Blvd., St Woodland Hills, CA 913	ES nite 216 664	Project Total: ========== Nordtank 65/13	з (н) 201	65 kw a 35 m	ph 1 2 3 4	33,215 65,942 49,735 27,108	0 0	1,144,083 ====================================
NATURAL RESOURCE VENTUR 23241 Ventura Blvd., St Woodland Hills, CA 913	ES wite 216 664 Wind Resource I	Project Total:	3 (H) 201	65 kw a 35 m	ph 1 2 3 4 Annual	33,215 65,942 49,735 27,108	0 / 0 / 0 / 0 /	1,144,083 ====================================
NATURAL RESOURCE VENTUR 23241 Ventura Blvd., St Woodland Hills, CA 913	ES wite 216 Wind Resource I MS	Project Total:	3 (H) 201	65 kw a 35 m	ph 1 2 3 4 4 Annual ====================================	33,215 65,942 49,735 27,108	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1,144,083 ====================================

^{*} Output for this "Failed To File" project is included only under the first listed turbine model of the first listed project.

Loc	cation/Operator/P	rojec	t -	Turbine Model		Rotor (M2)	Size (kw)		Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		bines talled Cum.	Electricity Produced (kwh)	-
	HACHAPI PASS													
	ern)													
39. OAK	C CREEK ENERGY SY	STEMS	(Con't.)											
		Α.	Oak Creek Energy Systems, Con't.	Blue Max	(H)	108	50 kw อ	0 mph	1 2 3 4	0 0 FAILED FAILED	0 0 TO TO			(NV) * *
									Annual	0			0	_
		,		Bonus	(H)	200	65 kw a	0 mpt	1 2 3 4	27,000 41,400 FAILED FAILED			891,092 1,354,631 - -	(NV) (NV) *
	,			**********	- .				Annual	68,400			2,245,723	_
				Carter	(H)	75	25 k⊮ ଇ	0 mpt	1 2 3 4	11,400 17,480 FAILED FAILED	0 0 TO TO			(NV) * *
									Annual	28,880			16,817	
				Flowind	(V)	0	120 kw a	0 mpt	1 2 3 4	0 0 FAILED FAILED	0 0 10 10		0	- (NV) (NV) *
									Annual	0			0	

^{*} Output for this "Failed To File" project is included only under the first listed turbine model of the first listed project.

	Location/Operator/Project		Turbine Model	Axis	Rotor (M2)	Size (kw)	,	luarter; Innual	Projected Quarterly Production Per Turbine (kwh)		oines called Cum.	Electricity Produced (kwh)	
	TEHACHAPI PASS												
	(Kern)												
39.	OAK CREEK ENERGY SYSTEMS	(Con't.)											
		Oak Creek Energy Systems, Con't.	Loliand	. (H)	184	75 kw a	0 mph	1 2 3 4	31,050 47,610 FAILED FAILED			27,960 42,486 -	(NV) * *
	;							Annual	78 ,660			70,446	
			Lolland	(H)) 288	110 kw a	0 mph	1 2 3 4	45,000 69,000 FAILED FAILED	0 0 10 10		-	(NV) * *
								Annual	114,000	<i></i>		2,885,558	}
			Micon	(Н) 293	110 kw a	0 mpt	1 2 3 4	45,000 69,000 FAILED FAILED			759,169	(NV) . * . *
								Annual	114,000			1,510,955	
			Micon	(۱	1) 200	65 kw a	0 mp	n 1 2 3 4	27,000 41,400 FAILED FAILED	1 01 01	0 66 0 66 FILE FILE	1,302,515	5 (NV) - * - *
								Annual	68,400			2,200,47	

^{*} Output for this "Failed To File" project is included only under the first listed turbine model of the first listed project.

	Location/Operator/Project	Turbine Model	Axis	Rotor (M2)	Size (kw)		Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)	Turbi Insta New		Electricity Produced (kwh)
	TEHACHAPI PASS										
	(Kern)										
39	OAK CREEK ENERGY SYSTEMS (Con't.)										
	A. Oak Creek Energy Systems, Con't.	Nordtank	(ዘ)	201	65 kw â	0 mph	1 2 3 4	27,000 41,400 FAILED FAILED	0 0 TO F	66 66 ILE ILE	1,474,892 (NV) 1,897,216 (NV) - * - *
							Annual	68,400			3,372,108
		Vestas	(H)	184	65 kw a	0 mph	1 2 3 4	27,000 41,400 FAILED FAILED	0 0 TO F	7 7 ILE ILE	156,193 (NV) 264,123 (NV) - * - *
		**********	. 				Annual	68,400			420,316
		Wecs-Tec	(H)	0	100 kw a	0 mph	1 2 3 4	O O FAILED FAILED	0 0 TO F TO F	1 1 ILE ILE	0 (NV) 0 (NV) - *
			. 				Annual	0			0
		Wecs-Tec	(H)	0	65 kw a	0 mph	1 2 3 4	0 0 FAILED FAILED	0 0 TO F	. 29 29 ILE ILE	0 (NV) 0 (NV) - *
	•	535555555555555555555555555555555555555		======		=====	Annual	0	======	=====	0
		Project Total	. : :======	======							19,911,196

^{*} Output for this "Failed To File" project is included only under the first listed turbine model of the first listed project.

	Location/Operator/Project			Rotor (xis (M2)		Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)	Turbines Installed New Cum.	, (kwh)
	TEHACHAPI PASS								
	(Kern)								
40.	SEAWEST INDUSTRIES, INC. 1455 Frazee Road Suite 300 San Diego, CA 92108								4 (002 (72 (V)
	A .	Difwind VI/Viking I	Danwin 23/160	(H) 423	160 kw ଇ 34 mph	1 2 3 4	120,000 204,000 162,000 114,000	0 9 0 9 0 9 0 9	1 11,623,116 (V) 1 8,088,448 (V)
						Annual	600,000		31,950,680
			MWT 250S	(H) 491	250 kw a 31 mp	h 1 2 3 4	130,000 240,500 149,500 130,000	0 2 0 2	1,794,813 (V) 3,371,056 (V) 2,341,899 (V) 2,246,700 (V)
						Annual	650,000		9,754,468
			Micon 110	(н) 293	108 kw a 30 mp	h 1 2 3 4	70 ,700 137 ,80 0 85 ,70 0 78 ,2 00	0 2! 0 2!	51 19,737,410 (V) 51 11,436,457 (V) 51 12,396,154 (V)
						Annual	372,400		54,402,549
			Nordtank 150S	(H) 330	150 kw a 35 mp	oh 1 2 3 4	77, 3 00 150,400 93,500 85,400	0 0 0	62 2,918,909 (V) 62 5,588,412 (V) 62 3,981,196 (V) 62 3,272,461 (V)
						Annual	406,600)	15,760,978
			_						111,868,675

TEMACHAPI PASS (Kern) 41. SOUTHERN CALIFORNIA SUNBELT 701 S. Parker Street Suite 7300 Orange, CA 92668 A. Mojave Wind Park Airmaster A. Mojave Wind Park Airmaster A. Mojave Wind Park Airmaster Air		Location/Operator/Project	Turbine Model	Rotor Axis (M2)	(kw) Annu	Projected Quarterly Production Per Turbine (kwh)	Turbines Installed New Cum.	Electricity Produced (kwh)
(Kern) 41. SQU'HERN CALIFORNIA SUNBELT 701 S. Parker Street Suite 7300 Orange, CA 92668 A. Mojave wind Park Airmaster Windmatic 17S Wind								
701 S. Parker Street Suite 7300 Orange, CA 92668 A. Mojave Wind Park A irmaster Windmatic 178 (N) 227 95 km a 34 mph 1 25,510 0 95 1,769,296 (V) Annual 10,055 8,439,501 Project Total: Project Total: Project Total: A. Triad III ESI 54-S ESI 5								
# Annual 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	41.	701 S. Parker Street Suite 7300						
## Annual 10 0 (V) ## Annual 0 0 0 10 0 (V) ## Annual 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		A. Mojave Wind Par	k Airmaster	(H) 0	100 kw a 40 mph	•		
#Indmatic 17S (H) 227 95 kw a 34 mph 1 25,510 0 95 1,769,296 (V) 2 52,688 0 95 2,821,548 (V) 3 43,139 0 95 1,943,532 (V) 4 18,718 0 95 1,943,532 (V) 42. TRIAD AMERICAN ENERCY 2212 Dupont Dr. Suite A Irvine, CA 92715 A. Triad III ESI 54-S (H) 213 80 kw a 40 mph 1 0 0 38 34,064 (NV) Other Operator: Windland, Inc. A Triad III ESI 54-S (H) 213 80 kw a 40 mph 1 0 0 38 34,064 (NV) Other Operator: Windland, Inc. Annual 200 0 38 34,064 (NV)						3 0	0 10	0 (V)
## Windmatic 17S (H) 227 95 km a 34 mph 1 25,510 0 95 1,769,296 (V) 2 52,688 0 95 2,821,548 (V) 3 43,139 0 95 1,943,532 (V) 4 18,718 0 95 1,945,532 (V) 4 140,055 8,439,501			•			4 0	0 10	
2 52,888 0 95 2,821,548 (V) 3 43,139 0 95 1,943,532 (V) 4 18,718 0 95 1,943,532 (V) 5 8,439,501 5 8,439,50					An	nual 0		0
Annual 140,055 8,439,501 Project Total: 8,439,501 42. TRIAD AMERICAN ENERGY 2212 Dupont Dr. Suite A Irvine, CA 92715 A. Triad III ESI 54-S (H) 213 80 kw a 40 mph 1 0 0 38 34,064 (NV) Other Operator: Yindland, Inc. 2 FAILED TO FILE - (UD)* Windland, Inc. 4 FAILED TO FILE - (UD)* Annual 210,000 34,064			Windmatic 17	7S (H) 227	95 kw a 34 mph	2 52,688 3 43,139 4 18,718	0 95 0 95	2,821,548 (V) 1,943,532 (V) 1,905,125 (V)
Project Total: 8,439,501 42. TRIAD AMERICAN ENERGY 2212 Dupont Dr. Suite A Irvine, CA 92715 A. Triad III ESI 54-S (H) 213 80 kw a 40 mph 1 0 0 38 34,064 (NV) Other Operator: Windland, Inc. 2 FAILED TO FILE - (UD)* Windland, Inc. 3 FAILED TO FILE - (UD)* Annual 210,000 34,064						nual 140,055		8,439,501
42. TRIAD AMERICAN ENERGY 2212 Dupont Dr. Suite A Irvine, CA 92715 A. Triad III Other Operator: Windland, Inc. ESI 54-S (H) 213 80 kw a 40 mph 1 0 0 38 34,064 (NV) 2 FAILED TO FILE - (UD)* 4 FAILED TO FILE - (UD)* 4 FAILED TO FILE - (UD)* 4 FAILED TO FILE - (UD)*			Project Tota	al:			•	8,439,501
Other Operator: ## Windland, Inc. 2	42.	TRIAD AMERICAN ENERGY 2212 Dupont Dr. Suite A						
Windland, Inc. 3 FAILED TO FILE - (UD)* 4 FAILED TO FILE - (UD)* Annual 210,000 34,064		****	ESI 54-S	(H) 213	80 kw a 40 mph			
Annual 210,000 34,064						3 FAILED	TO FILE	- (UD)*
						nual 210,000		34,064

^{*} Output for this "Failed To File" project is included only under the first listed turbine model of the first listed project.

	Location/Operator/Project	Turbine Rotor Model Axis (M2)	Size (kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)	Turbines Installed New Cum.	Produced
	TEHACHAPI PASS						
	(Kern)						
42.	TRIAD AMERICAN ENERGY (Con't.)						
	A. Triad III, Con't.	ESI 80-200S (H) 476	250 kw ଇ 40 m,	oh 1 2 3 4	O FAILED FAILED FAILED	O 6 TO FILE TO FILE	- * - *
				Annual	532,000		12,338
		======================================					46,402
	2509 Thousand Oaks Blvd., Suite 197 Thousand Oaks, CA 91362						
	A. Cache Creek Wind Farm	FAILED TO FILE FAILED TO FILE FAILED TO FILE		1 2 3			68,000 (UD) 124,000 (UD) 2,000 (UD)
	A. Cache Creek Wind Farm			2 3 4			124,000 (UD) 2,000 (UD) 36,000 (UD)
	A. Cache Creek Wind Farm	FAILED TO FILE FAILED TO FILE FAILED TO FILE	=======================================	2 3 4		=======================================	124,000 (UD) 2,000 (UD) 36,000 (UD) 230,000
		FAILED TO FILE FAILED TO FILE		2 3 4 Annual			124,000 (UD) 2,000 (UD) 36,000 (UD) 230,000 =================================
44.		FAILED TO FILE FAILED TO FILE FAILED TO FILE		2 3 4 Annual		========	124,000 (UD) 2,000 (UD) 36,000 (UD)
44_	WINDLAND, INC. 2141 Palomar Airport Road, Suite 360	FAILED TO FILE FAILED TO FILE FAILED TO FILE		2 3 4 Annual		TO FILE 0 1 0 0 1	124,000 (UD) 2,000 (UD) 36,000 (UD)

^{*} Output for this "Failed To File" project is included only under the first listed turbine model of the first listed project.

	Location/Operator/P	Project 	Turbine Rotor Model Axis (M2)	Size (kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)	Turbines Installed New Cum.	Electricity Produced (kwh)
	(Kern)							
,,								
44	. WINDLAND, INC. (Con	n't.)						
		A. Windland Wind Park (Boxcar I), Con't.	Carter Model 25 (H) 75	25 kw მ 30 m.pi	1 2 3 4	FAILED 30,700 15,300 15,300	TO FILE 0 29 0 39 0 39	226,751 (V) 137,693 (V) 188,644 (V)
				• • • • • • • • • • • • • • • • • • • •	Annual	61,300		553,088
			Carter Model 250(H) 332	250 kw a 30 mpł	1 2 3 4	FAILED 240,000 120,000 120,000	TO FILE 0 13 0 13 0 13	624,619 (V) 483,742 (V) 541,589 (V)
			*****************		Annual	480,000		1,649,950
			Storm Master 12 (H) 113	40 kw a 42 mph	1 2 3 4	FAILED 36,000 18,000 18,000	TO FILE 0 10 0 10 0 10	116,530 (V) 66,554 (V) 58,967 (V)
			***************************************		Annual	72,000		242,051
			Vestas V25-200 (H) 491	200 kw a 30 mph	1 2 3 4	FAILED 125,000 125,000 125,000	TO FILE 2 2 0 2 0 2	- * 330,701 (V) 143,604 (V) 0 (V)
			=======================================	=======================================	Annual	375,000		474.305
			Project Total:					6,609,838

^{*} Output for this "Failed To File" project is included only under the first listed turbine model of the first listed project.

Location/Operator/Project		Turbine Rotor Model Axis (M2)	Size (kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)	Turbines Installed New Cum.	Electricity Produced (kwh)
TEHACHAPI PASS							
(Kern)							
WINDLAND, INC. (Gon't.)							
В.	Windland Wind Park (Boxcar II)	Bonus 65/13 (H) 181	65 kw a 40	mph 1 2 3 4	FAILED 74,400 37,200 37,200	TO FILE 0 4 0 4 0 4	39,817 (V) 30,608 (V) 55,336 (V)
٠				Annual	148,800		125,761
		Enertech 44/60 (H) 180	60 kw a 35	mph 1 2 3 4	FAILED 0	TO FILE 0 12 0 12 0 12	119,392 (V
				Annual	0		391,793
		======================================	=======================================	=======================================	:======================================	=======================================	517,554
. WINDRIDGE 406 E. Tehachapi Blvd. Tehachapi, CA 93561							
A.	Willowind	FAILED TO FILE FAILED TO FILE FAILED TO FILE FAILED TO FILE		1 2 3 4			746,000 (U 1,238,000 (U 680,000 (U 700,000 (U
				Annual			3,364,000
				=========			

^{*} Output for this "Failed To File" project is included only under the first listed turbine model of the first listed project.

Location/Operator/Project

TEHACHAPI PASS

(Kern)

- 46. ZOND SYSTEMS, CORP. 112 South Curry Street Tehachapi, CA 93561
 - A. Feeder 0

B. Feeder 1

Turbine Model		Rotor (M2)		Size (kw)		Quarter; Annual		Turb Inst New		Electricity Produced (kwh)	
	2 444	447	40								
Storm Master 1	2 (H)	113	40	KW W	40 mph	1 2	47,600 40,600	0	47 47	54,390	
						3	22,400	0	47 47	20,077 89,915	
						4	29,400	ő	47	251,915	
	====:	:=====	======	:===:	:=====	Annual	140,000			416,297	=
Project Total:										416,297	
Polenko 18		254			35 mph	n 1	108,129	n	15		
					•	2	92,228	0	15 15 15	840,829	(NV)
						3	50,884	0	15	375,888	
						4	66,785	U	15	87,921	(NV)
						Annual	318,026			1,895,374	-
Vestas 15	(H)	184	65	kw a	35 mph	ı 1	81,953	0	58	1,087,467	(NV)
	, ,					2	69,901	ő	58		
						3	38,566	0	58	596,669	(NV)
						4	50,618	0	58	807,650	(NV)
						Annual	241,038			3,942,601	-
Windmatic 14S	(H)	184	65	kw a	35 mph	ı 1	72,541	0	30	555,919	(NV)
	_					2	61,873	ŏ	30		
						3	34,137	0		318,439	(NV)
						4	44,805	0	30	490,890	(NV)
T225E5E5E5E5E	=====			:====		Annual	213,356		:=====	2,115,761	-
Project Total:										7,953,736	
=======================================	=====	======		=====	======	=======================================	==========	=====	======	=========	=

Projected

Location/Operator/Project
TEHACHAPI PASS
(Kern)

46. ZOND SYSTEMS, CORP, (Con't.)

C. Feeder 2

Turbine Model	Rotor Axis (M2)	Size (kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)	Turbii Insta New		Electricity Produced (kwh)
Vestas 15	(H) 184	65 kw a 35		81,95 3 69,90 1	Ó 0	2	42,348 (NV) 36,771 (NV)
			2	38,566	0	2	16,970 (NV) 20,590 (NV)
			4 Annual	50,6 18 241,0 38	U	_	116,679
						 -	
Vestas 15	(H) 184	65 kw a 35	mph 1 2 3 4	72,171 61,558 33,96 3 44,576	0 0 0 0	5 5 5 5	105,869 (NV) 137,303 (NV) 50,976 (NV) 122,024 (NV)
			Annual	212,268		- -	416,172
Vestas 15	(н) 184	65 kw a 35	mph 1 2 3 4	81,95 3 69,901 38,556 50,61 8	0 0 0	13 13 13 13	423,406 (NV) 204,040 (NV)
			Annual	241,028			1,132,376
Vestas 15	(H) 18 ⁴	65 kw a 35	mph 1 2 3 4	81,95 3 69,901 38,566 50,61 8	0 0		2,149,968 (NV) 992,567 (NV)
			Annual	241.038			5,897,769
	:==========						7,562,996
Project Tot	.a -==========		=========	=======================================	======	====	

Location/	Operator/Project
TEHACHAPI	PASS

- 46. ZOND SYSTEMS, CORP. (Con't.)
 - D. Feeder 3

E. Feeder 5

Turbine Model	Rotor Axis (M2)	Size (kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)	Turbi Insta New		Electricity Produced (kwh)	-
Vestas 15	(H) 184	65 kw ର 35 mp/	2 3 4 Annual	72,171 61,558 33,963 44,576 212,268	0 0 0 0	97 97 97	2,213,383 1,562,744 2,127,135 7,483,241	(NV) (NV) (NV)
Project Total							7,483,241	=
=======================================		=======================================		=========		=====	=======================================	=
Vestas 15	(H) 184	65 k⊮ a 35 mpł	1 2 3 4 Annual	64,906 55,361 30,544 40,089 190,900	0 0 0 0		17,937 10,095 17,966 21,904 67,902	(NV) (NV)
								
Vestas 15	(H) 184	65 kw a 35 mph	1 2 3 4 Annual	72,171 61,558 33,963 44,576	0 0 0 0	86 86 86 86	1,542,609 1,890,683 1,037,307 1,686,727	(NV) (NV)
						,	6,157,326	•
Vestas 17	(н) 227	90 kw a 3 5 mph	1 2 3 4	82,569 70,427 38,356 50,999	0 0 0	- 4 4 4 4	172,194 216,370 124,185 159,331	(NV)
=======================================			Annual	242,351			672,080	
Project Total	:						6,897,308	
			=======		======	=====		:

Location/Operator/Project

TEHACHAPI PASS

(Kern)

46. ZOND SYSTEMS, CORP. (Con't.)

F. Feeder 6

G. Feeder 8

Turbine Model	Rot Axis (f		Size (kw)		uarter; nnual	Projected Quarterly Production Per Turbine (kwh)	Turbi Insta New	nes alled Cum.	Electricity Produced (kwh)	
Vestas 15	(H)	184	65 kw â 3‼	5 mph	1 2 3 4	64,906 55,361 30,544 40,089	0 0 0 0		1,122,389 774,540 1,126,923	(NV) (NV)
Vestas 17	(H)	227	90 kw a 3		Annual 1 2 3 4 Annual	190,900 0 0 0	0 0 0 0	5 6 6 6	0 0	(NV) (NV) (NV) (NV)
Windmatic 158			65 kw a 3		1 2 3 4 Annual	53,848 45,929 25,340 33,259 158,376	0	9 9 9	49,957 293,930 ==========	(NV) (NV) (NV)
Project Tota	l: ======	=====	40 kw a	=====	======	32,760 54,180 17,640 35,420	0 0 0 0	===== 25 25 25	32,691 1,833	:= (NV) (NV) (NV)
					Annual	140,000			163,36	7

	Location/Operator/F	Proje	ct	Turbine Model	Axis	Rotor (M2)	(kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)	Turi Ins: New	oines talled Cum.	Electricity Produced (kwh)	<i>,</i>
	TEHACHAPI PASS					••••							
	(Kern)												
46.	ZOND SYSTEMS, CORP.	(Co	n't.)										
		G.	Feeder 8, Con't.	Vestas 15	(H)	184	65 kw a 35 mph	1 2 3 4	81,953 69,901 38,566 50,618	0 0 0	8 8 8 8	179,577 252,388 122,523 656,758	(NV) (NV) (NV)
				=======================================				Annual	241 038			1,211,246	
				Project Tota			=======================================					1.374 613	
		н.	K Site	Vestas 15	(H)	184	65 kw a 35 mph		40,716 67,338 21,924 44,022	0 0 0 0	41 41 41 41 41	607,070 911,939 435,507 656,758	(NV) (NV) (NV)
				Vestas 17	(H)	227	90 kw â 35 mph	1 2 3 4	40,716 67,338 21,924 44,022	0 0 0 0	37 37 37 37	2,611,274 1,327,802 2,194,025 1,147,063 1,392,345	- (NV) (NV) (NV)
				=======================================	=====			Annual	174,000			6,061,235	
				Project Total	:				=======================================		•	0 /70 500	
		Ι.	33 - E ast	Vestas 17		227	90 kw a 35 mph	1 2 3 4	55,809 92,300 30,051 60,340	0 0 0 0	70 70 70 70 70	1,889,458 2,795,745 1,234,288 2,002,084	(NV) (NV) (VN)
								Annual	238,500			7,921,575	

Location/Operator/Project TEHACHAPI PASS _____ (Kern) 46. ZOND SYSTEMS, CORP. (Con't.)

1. 33 - East, Con't.

J. Pool V25

Turbine Model	Axis ((kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)	Turbi Insta New		Electricity Produced (kwh)	
									
47	ZUN	227 '	90 kw a 35 mpł	n 1	55 ,809	0	90	2,447,038	
estas 17	(11)	221	70 KM W 33 mpr	ż	92,300	0	90	3,413,799	
				3	30,051	0 0	90 90	1,731,313 3,097,882	
				4	60,340	U	90	3,097,002	(1117)
				Annual	238,500			10,690,032	-
	(H)	227	90 kw a 35 mp	h 1	55 ,809	0	102		
/estas 17	(n)	261	70 KH & 32 MP	2	92,300	0	102		
				3	30,051	0		2,402,169 3,404,641	(NV)
				4	60,340	0	102	3,404,041	(44)
				Annual	238,500			13,980,105	_
			00 0 75	١ 1	55 ,809	0	140	3,621,857	(NV)
Vestas 17	(H)	227	90 kw a 35 mp	oh 1 2	92,300		140	5,115,382	(NV)
				3	30,051	0	140	2,417,745	(NV)
				4	60 ,340	0	140	3,907,675	(NV)
				Annual	238,500			15,062,659) :=
Project To								41,007,01	•
========	=======	=====		*======					
Vootno 17	(4)	227	90 kw a 35 m	oh 1	52,467		27		
Vestas 17	(11)		, , ,,,, = ,,,	2	45,425			, 1,552,275 , 840,458	
				3	43,144 76,312			•	
				4	/0,314	. 0			
				Annual	217 ,348 	} :=====	=====	4,560,26	
=======	========	======		=======				4,560,26	4

Lc 	ocation/Opera tor /Project	Turbine Model	Axis	Rotor (M2)	Size (kw)	Quarter; Annual	Projected Quarterly Production Per Turbine (kwh)		oines talled Cum.	Electricity Produced (kwh)
	EHACHAPI PASS									
	(ern)									
46. ZO	OND SYSTEMS, CORP. (Con't.)									
	K. Pool V26	Vestas 17	(H)) 227	90 kw a 35 mph	1 2 3 4	52,467 45,425 43,144 76,312	0 0 0	205 205	10,369,070 (NV) 14,290,604 (NV) 8,921,277 (NV) 9,232,991 (NV)
		2===============	=====	=======		Annual	217,348			42,813,942
==		Project Total	:	======					=====	42,813,942

APPENDIX A NON-OPERATING WIND PROJECTS

The following list of wind projects are currently not being operated by any wind operator. The power purchaser reports submitted to the California Energy Commission show that no electricity was bought from any of these projects during identified reporting quarters. If any party begins to operate one of these projects, and subsequently receives payments for electricity from a wind power purchaser, then they will become responsible for filing regular quarterly WPRS reports.

The name of these projects, their resource area, previous operator, current contact (if different than previous operator) and quarters they did not operate in 1988.

PROJI	ECT NAME	RESOURCE AREA/COUNTY	PREVIOUS OPERATOR	CURRENT CONTACT	QUARTERS NOT OPERATING
1. Airtric Park	city Wind	Tehachapi Pass Kern County San Gorgonio Pass Riverside County	Airtricity 100 Commercial Way Tehachapi, CA 93561	Same	1/2/3/4
	ican Diversified Partner	Altamont Pass Alameda County	American Diversified 523 N. 6th St., Suite 400 Los Angeles, CA 90014	Same	2
3. Canno Progr	on 1982 Phase I ram	Tehachapi Pass Kern County	Cannon Capital Group 6920 Miramar Rd. San Diego, CA 92121	Same	1/2/3/4
4. Cann	on 1983 Phase II ram	Tehachapi Pass Kern County	Cannon Capital Group 6920 Miramar Rd. San Diego, CA 92121	Same	1/2/3/4
5. C.W.	E.S.	Altamont Pass Almeda County	SeaWest Energy Group 1455 Frazee Rd., St. 300 San Diego, CA 92108	Same	1/2/3/4
6. Dese	rt Wind Partners	San Gorgonio Pass Riverside County	Desert Wind Partners (Address Unknown)	Mindtech 24 Union Jack, St. 3 Marina del Rey CA 90292	1/2/3/4

	PROJECT NAME	RESOURCE AREA/COUNTY	PREVIOUS OPERATOR	CURRENT CONTACT	QUARTERS NOT OPERATING
7.	Energy 21	Pacheco Pass Merced County	Energy 21 18 Eastwood Court Oakland, CA 94611	Same	4
8.	Herbert Ranch #1	Salinas Valley Monterey County	Casas Del Sol P.O. Box 89 Pacific Grove, CA 93950	Same	4
9.	Lopes Road Wind Park	Carquinez Strait Solano, Contra Costa County	Wind Watt, Inc. 1700 Broadway Vallejo, CA 94589	Same	1/2/3/4
10.	Pacheco Wind Park	Pacheco Pass Merced County	Aura Energy Systems 22 Battery St., Ste. 300 San Francisco, CA 94111	West Wind Ind. P.O. Box 1705 Davis, CA 95617	1/2/3/4
11.	Ridgeline Windfarm	Tehachapi Pass Kern County	Zond Systems, Inc. 112 S. Curry Street Tehachapi, CA 93561	Univ. Properties 132 S. Rodeo Dr. Beverly Hills, CA 90212	1/2/3/4
12.	Transworld (Cabazon & Maeva)	San Gorgonio Pass Riverside County	Transworld Wind Corp. 400 S. Farrell Dr., St. B202 Palm Springs, CA 92262	Same	1/2/3/4
13.	Triad I, II	San Gorgonio Pass Riverside County	Triad American Energy 11791 Fitch Irvine, CA 92714	Same	. 1/2/3/4
14.	Ventus Wind Park (SWC I)	San Gorgonio Pass Riverside Co.	Sandberg Wind Corp. 31324 Via Colinas, Ste 114 Westlake Village, CA 91362	Same	1/2/3/4
15.	Wind Energy Tech. Associates (WETA) I	Altamont Pass Alameda County	Fayette P.O. Box 1149 Tracy, CA 95376	Same	1/2/3/4

PROJECT NAME	RESOURCE AREA/COUNTY	PREVIOUS OPERATOR	CURRENT CONTACT	QUARTERS NOT OPERATING
16. Wind Generator Parks	Carquinez Strait Solano, Contra Costa County	Wind Generator Parks 7 Wolfback Ridge Rd. Sausalito, CA 94965	Same	1
17. Zephyr Park Ltd.	Tehachapi Pass Kern County	Zephyr Park Ltd. 18 Eastwood Court Oakland, CA 94611	Same	1/2/3/4

APPENDIX B WIND TURBINE MANUFACTURES

This Appendix contains the name, address and phone number of all manufacturers and/or distributors of wind turbines installed in California wind projects as reported for WPRS.

MA	NUFACTURER/DISTRIBUTOR	COUNTRY OF ORIGIN	TURBINE BRAND NAME(S)	PROJECT(S) WHERE TURBINE IS USED
1.	Airmaster c/o Basin Petroleum Service P.O. Box 1161 Powell, WY 82435 "No Longer Active"	U.S.	Airmaster	41A
2.	American M.A.N. West Coast Office 303 Hegenberger Rd., Ste. 402 Oakland, CA 94621 Phone: (415) 430-0754	West Germany	Aeroman	33A-D
3.	Arizona Micro-Utilities 1890 E. Greenway Tempe, AZ 85282 Phone: (602) 839-7709	Switzerland	Wenco	25A
1.	Bonus Wind Turbines, Inc. 444 West Ocean Blvd. Suite 1102 Long Beach, CA 90802 Phone: (213) 436-9042	Denmark	Bonus	3B, 4D, 5B, 19A, 22A, 31A, 49A, 44A-B
5.	Bouma Wind Turbines P.O. Box 79483 Houston, TX 77024 Phone: (713) 222-07426	Holland	Bouma	32A
6.	Carter Wind Systems, Inc. Route 1, Box 405A Burkburnett, TX 76364 Phone: (817) 569-2238	U.S.	Carter	14A, 15A, 22A, 29A, 35A, 39A, 44A

MANUFACTURER/DISTRIBUTOR		COUNTRY OF ORIGIN	TURBINE BRAND NAME(S)	PROJECT(S) WHERE TURBINE IS USED
7.	Century Design, Inc. 3635 Afton Road San Diego, CA 92123 Phone: (619) 292-1212 "No Longer Active"	U.S.	Century (CT)	32A
8.	Danish Wind Technology Marsk Stiysvey 4 DK 8800, Viborg DENMARK	Denmark	Windane	31A
9.	Danish Windpower P.O. Box 14 DK 4999, Nakskov DENMARK	Denmark	Lolland	39A
10.	Danwin A/S Industrivej 12 DK-3000, Helsingor DENMARK	Denmark	Danwin (H)	5B, 40A
11.	Earth Energy Systems Inc. P.O. Box 742 N. Palm Springs, CA 92258	U.S.	Jacobs .	17A, 21A, 29D-E
12.	Enertech Corporation P.O. Box 1085 Norwich, VT 05055 Phone: (802) 649-1145 "No Longer Active"	U.S.	Enertech	7A, 13A, 16A, 20A, 24C, 28A, 44B
13.	_	U.S.	ESI	7C, 8A, 21A, 26A, 42A

MANUFACTURER/DISTRIBUTOR		COUNTRY OF ORIGIN	TURBINE BRAND NAME(S)	PROJECT(S) WHERE TURBINE IS USED
14.	Fayette Manufacturing Corp. P.O. Box 1149 Tracy, CA 95376 Phone: (415) 443-2929	U.S.	Fayette	4A-I
15.	FloWind Corporation 21414 68th Avenue South Kent, WA 98032 Phone: (206) 872-8500	U.S.	FloWind (F)	5A-B, 36A-B, 39A
16.	Hall Machinery 1401 Airport Drive Bakersfield, CA 93308 "No Longer Active"	U.S.	Blue Max	37A, 39A
17.	HMZ Belgium N.V. Rellestraat 3 Industrie Zone 5 3800 Sint-Truiden BELGIUM	Belgium	HMZ	10A
18.	Holec Power Systems, Inc. P.O. Box 2227 Livermore, CA 94550 Phone: (415) 449-9960	Denmark	Polenko (WPS)	3A, 46B
19.	James Howden and Company 195 Scotland Street Glasgow C5 9PJ SCOTLAND	Scotland	Howden (HWP)	6A ,
20.	Micon Wind Turbines, Inc. 2352 Research Drive Livermore, CA 94556 Phone: (619) 297-8066	Denmark	Micon	4B, 4D, 7B,D-G, 12A 22A, 24A-C, 29B-C,F 32A-B, 39A, 40A

MANUFACTURER/DISTRIBUTOR		COUNTRY OF ORIGIN	TURBINE BRAND NAME(S)	PROJECT(S) WHERE TURBINE IS USED
21.	Mitsubishi c/o SeaWest Industries, Inc. 1455 Frazee Road, Ste. 300 San Diego, CA 92108 Phone: (619) 293-3340	Japan	MWT	40A
22.	Nordtank Energy Group Nyballevej8 DK-8444 Balle Phone: 45 6 33 7200 DENMARK	Denmark	Nordtank (NTV)	3B, 29A-B,D, 32A, 38A, 39A,40A
23.	Starwind Maintenance 103 N. Hwy 101, Ste. 2001 Encinitas, CA 92024	U.S.	Starwind	25A
24.	Sumitomo Machinery Corp. 2143 E. "D" Street Ontario, CA 91764	Japan	Sumitomo	36A
25.	U.S. Windpower 500 Sansome St., Ste. 600 San Francisco, CA 94111 Phone: (415) 398-3825	U.S.	U.S. Windpower (USW)	9A-E
26.	Vestas North American, Ltd. P.O. Box 276 Tehachapi, CA 93561 Phone: (805) 822-6839	Denmark	Vestas	11A, 30A-B, 39A, 44A, 46B-K
27.	Vanquard "No Longer Active"	U.S.	· Vanquard	26A
28.	Villas Styria Grossfolz 1-A 8790 Eisenerz, Austria Phone: 03 848-2811	Austria	Floda	22A

MANUFACTURER/DISTRIBUTOR		COUNTRY OF ORIGIN	TURBINE BRAND NAME(S)	PROJECT(S) WHERE TURBINE IS USED
29.	Wecs-Tec "No Longer Active"	U.S.	Wecs-Tec	49A
30.	Wincon Energy Systems 1660 Hotel Circle Suite 400 San Diego, CA 92108 Phone: (619) 297-8066	U.S.	Wincon	27A
31.	Wind Energy Group, Ltd. 345 Ruislip Rd. Southall, Middlesex, UB1 2QX ENGLAND	England	Wind Energy Group (WEG)	9 C
32.	Windmatic 17900 Sky Park Circle Suite 106 Irvine, CA 92714	U.S.	Windmatic	3A, 41A, 46B,F
33.	Wind Power Systems 9279 Cabot Drive San Diego, CA 92126 Phone: (619) 578-0241 "No Longer Active"	U.S.	Storm Master	34A, 44A, 46A,G
34.	Windtech Inc. P.O. Box 837 Glastonbury, CT 06033 Phone: (203) 659-3786	U.S.	Windtech	31A ,

APPENDIX C

REGULATIONS CALIFORNIA ADMINSTRATIVE CODE TITLE 20, CHARTER 2, SUBCHAPTER 3, ARTICLE 4

WIND PROJECT PERFORMANCE REPORTING SYSTEM

Adopted November 28, 1984

1381 Title and Purpose

The purpose of this article is to specify performance reporting requirements for operators of specified wind energy projects and for entities which purchase electricity from the projects and to identify requirements for the Commission to publish the information.

Authority cited: Sections 25213 and 25218 (e), Public Resources Code Reference: Sections 25216.5 (d), 25601 (c), and 25605, Public Resources Code.

1382 Definitions

For the purposes of this article, the following definitions shall apply unless the Commission has clearly indicated otherwise in these regulations:

- (a) "Contingency Costs": the costs which may be paid by investors after the initial investment, but which are not paid out of project revenues. Contingency costs may include such costs as turbine repairs or annual insurance fees paid during the reporting year.
- (b) "Cumulative Number of Turbines Installed": the cumulative total number of turbines of a given model installed by the end of the reporting period.

- (c) "Electricity Produced (kWh)": the total kilowatt hours actually produced by all of the turbines of a particular turbine model contained within the wind project where the electricity is delivered to a wind power purchaser for sale during the reporting period.
- (d) "Name of Wind Project": the name used for the project in any prospectus, offering memorandum, or sales literature.
- (e) "Number of Turbines Installed During Reporting Period": the number of additional turbines installed during the calendar quarter of the reporting period.
- (f) "Project Cost": the total cost of the turbines installed during the reporting period. Project cost includes all debt and equity investment in the project (including nonrecourse notes) and should be comparable to the project cost shown in the offering memorandum, prospectus or sales literature published by the developer.
- (g) "Projected Annual Production Per Turbine (kWh)": the annual average kWh production, by model, predicted by the developer in its prospectus, offering memorandum, or sales literature. This figure may be revised annually prior to the

first reporting quarter of each year and shall be based upon average site specific wind distributions and the wind turbine power curves.

- (h) "Projected Quarterly Production Per Turbines (kWh)": the quarterly breakdown of the Projected Annual Production Per Turbine.
- (i) "Rotor (M^2) ": The rotor swept area in square meters for each turbine model.
- (j) "Size (kW)": the turbine manufacturer's published kW rating at a specific miles per hour (mph) with wind speed shown in parentheses.
- (k) "Turbine Model": the common or manufacturer's name for the turbine if that is a commonly used term for the model of a specific rotor (M²) and size (kW).
- (l) "Wind Power Purchaser": any electricity utility or other entity which purchases electricity from a wind project, as defined in this section.
- (m) "Wind Project": one or more wind turbine generators installed in California with a combined rated capacity of 100 kW

- or more, the electricity from which is sold to another party.
- (n) "Wind Project Operator": any developer or operator who directly receives payments for electricity from the wind power purchaser.

Authority cited: Sections 25213 and 25218 (e), Public Resources Code Reference: Sections 25216.5 (d), 25601 (c), and 25605, Public Resources Code.

1383 Reporting Period

For the purpose of this article, and unless otherwise indicated, the reporting period shall be each calendar quarter, beginning with the first quarter following the effective date of this article. Quarterly reports filed pursuant to this article shall be submitted not later than the forty-fifth day following the close of each reporting period. Reports shall be deemed submitted as of the date of postmark, provided that the report is properly and legibly completed.

Authority cited: Sections 25213 and 25218 (e), Public Resources Code Reference: Sections 25216.5 (d), 25601 (c), and 25605, Public Resources Code.

1384 Requirements to File

The information required by this article shall be submitted to the Commission by wind project operators and wind power purchasers. Reports shall be made on forms prescribed by order of the Commission and according to instructions accompanying the forms. A copy of the wind project prospectus, offering memorandum, and other sales literature shall accompany the initial report. All reports must be verified by a responsible official of the firm filing the report. Requests for confidentiality may be filed pursuant to 20 Cal. Admin. Code section 2501 et. seq.

Authority cited: Sections 25213 and 25218 (e), Public Resources Code Reference: Sections 25216.5 (d), 25601 (c), and 25605, Public Resources Code.

1385 Information Requirements: Wind Project Operators

Each operator firm submitting information pursuant to the provisions of the article shall include the following:

- (1) Name of wind project
- (2) Name and address of operator
- (3) Name and phone number of contact person at operator's firm

- (4) Operator's name as shown on power purchase contract (if different than 2 above)
- (5) Name of wind power purchaser
- (6) Purchase contract number
- (7) Resource area and county
- (8) Dates of reporting period
- (9) Turbine model
- (10) Cumulative number of turbines installed
- (11) Number of turbines installed during reporting period
- (12) Rotor (M^2)
- (13) Size (kW) at stated wind speed
- (14) Project cost
- (15) Additional project contingency costs for which investors may be responsible
- (16) Projected quarterly production per turbine (kWh)
- (17) Projected annual production per turbine (kWh)
- (18) Electricity produced (kWh)
- (19) Turbine manufacturer's name and address
- (20) Operator comments, if any

Authority cited: Sections 25213 and 25218 (e), Public Resources Code Reference: Sections 25216.5 (d), 25601 (c), and 25605, Public Resources Code.

1386 Information Requirement: Wind Power Purchase

Each wind power purchaser submitting information pursuant to the provisions of this article shall include the following:

- (1) Name of purchaser's firm
- (2) Name and phone number of contact person at purchasers firm
- (3) Date of report
- (4) Name of wind project operator
- (5) Number of contract with wind project operator
- (6) kWh's produced during reporting period
- (7) Dates of reporting period
- (8) The maximum MW's which the operator can deliver to the purchaser as specified in the power sales agreement
- (9) Purchaser comments, if any

Authority cited: Sections 25213 and 25218 (e), Public Resources Code Reference: Sections 25216.5 (d), 25601 (c), and 25605, Public Resources Code.

1387 Publication of Data

The Commission staff shall compile and distribute, on a quarterly basis, the information reported by wind project operators and purchasers. Cost data will be published by the Commission in a aggregated form to the extent

necessary to assure confidentiality. The final publication of each year shall combine the performance data for that year. The publication shall designate the name of any wind project operator from whom performance data is not received.

Authority cited: Sections 25213 and 25218 (e), Public Resources Code Reference: Sections 25216.5 (d), 25601 (c), and 25605, Public Resources Code.

1388 Failure to Provide Information

The Commission may, after notifying any person of the failure to provide information pursuant to this article, take such action to secure the information as is authorized by any provision of law, including, but not limited to, Public Resources Code section 25900.

Authority cited: Sections 25213 and 25218 (e), Public Resources Code Reference: Sections 25216.5 (d), 25601 (c), and 25605 (e), and 25900, Public Resources Code.

1389 Exemptions

Operators of wind projects of less than 100 kW rated capacity or operators who do not offer electricity for sale are exempt from this article.

Authority cited: Sections 25213 and 25218 (e), Public Resources Code Reference: Sections 25216.5 (d), 25601 (c), and 25605, Public Resources Code.